

Current Type: AC

Voltage:110~240V

IP:44

Frequency:50Hz~60Hz

Market standard: Customized

Quick Details

Model: HTD-302AL

Place of origin : Zhejiang ,Wenzhou,China

Rated Current :10-25A

Type: floor socket

HS Code: 8536690000

Grounding: Standard grounding

Color :golden or sliver

Brand Name : Safewire or OEM brand

Application:

Large capacity for the modules. Compact and stylish, provide ready access to power and communication outlets recessed in the floor. They are boxes to be recessed on floor.

- Office and education
- Industry and Engineering
- Presentation and retail;
- Orientation and safety;
- Transit areas and parking;
- Hotels, hospitality and wellness;



- Health, sport and leisure;
- Art and culture;

Packaging & Delivery

Inner packing box

Outer exporting carton

Output Electrical Outlet/ Socket Box /Floor Boxes/Floor sockets

1) Features:

- More bigger access angle of flap when opened it: Open the cover with the ground 90 degrees, furthermore, open and ground into a 180 degree flat is also available.
- More convenient and secure to install: Hinged cover with screw fix to steel box body.
- Protection of cable exit :Box with lid to make connections. Gap on lid for cables(Gap protected by brush).

(2) Advantages and Features:

1. More Strong Scratch Resistance: Surface finish made from stainless steel or Brass by combination of tough material, Aluminum (ADC12) and



shot blast finish on the surface achieves high scratch resistance.

2. Solid steel cover with bevelled edges to allow the cover to conceal the cut edge of carpet or floor covering below.

3. With temporary lid-secure to body during pour to prevent ingress of slurry.

4. The fixed wiring is made by means of an access window in the bottom of the box: Power-coated steel box has 10*25mm conduit and diameter of 27mm diameter knock-outs available to accommodate CAT 6A cabling available on request.

(4) Characteristics:

Output Electrical Outlet/ Socket Box /Floor Boxes/Floor sockets

Brand	Safewire
ltem No.	HTD-302AL
Color:	Golden, sliver etc.



www.safewirele.com


Material:	Brass alloy, stainless steel etc.
Application:	Residential ,Industrial or public
Туре:	Floor socket
Frequency:	50HZ-60HZ
Grounding:	Standard Grounding
Voltage:	90-260V
Rated Current:	15
Available modules:	Type 45,43,120,118,128,American GFCI series
Damping device (DP):	Available

5.Our service:



Wenzhou Safewire Electric Co.,Ltd.

No.152 Xingguang Road, Xingguang industry zone, Liushi town, Yueqing, Wenzhou,China ,325604 Tel:0086-577-62799688; Email:info@safewirele.com; www.safewirele.com




6. Product Show:






HTD-302AL Outline drawing:



Available sockets or modules types:

Available sockets :

45 Type



More International sockets is customization:

Schuko socket; France, UK, SA, Israel, Italy, Brazil, Aus/NZ, China,

Thailand, USA; etc.





www.safewirele.com

Serial No.	Parameter	Description
1	Product picture	HTD-302AL DK cable exit Code:DK UC TD-302AL Alu alloy DC DC
2	Panel Material	Brass alloy/Stainless steel
3	Surface finish	Wire drawing/Polishing/Spray painting
4	Panel Dimension(mm)	210*140
5	Cutout(mm)	190x120
6	Capacity of modules	6 ways modules
7	Mounting type	Declining angle installation
8	Bracket material	Zinc Alloy & Alu Alloy
9	Package	10 Pcs /Master carton
10	G.W	1.61KG/set



Wenzhou Safewire Electric Co.,Ltd.


No.152 Xingguang Road, Xingguang industry zone, Liushi town, Yueqing, Wenzhou, China ,325604 Tel:0086-577-62799688; Email:info@safewirele.com;

www.safewirele.com

11	Base box dimension(mm)	260*135*65
12	Height(mm)	75(Adjustable)
13	Sink box Material	Steel+Zinc plated

7. Process flow:

we apply ERP data management system , greatly increased the management in plan ,purchase, storage , manufacture and sales .



8.About us:



Wenzhou Safewire Electric Co.,Ltd is a company specialized in the manufacture and sale of items in the field of electrical installation material and goods. We embarked on the relentless pursuit of being the biggest supplier with over 30,000 square meters building areas in China as we are engaged in producing and selling high-quality wiring systems produced in accordance with international standards. Our factory was recognized through ISO9001,ISO14001,OHSAS18001. And also be 3rd quality certification such as CE and SASO etc.



Happy He - General Manager: happyhe@safewirele.com;

Mr. Zhou -VP:info@safewirele.com;

Olivia Yang - Market:mkt1@safewirele.com;

Zuo Juan-Sales :sales1@safewirele.com;



FAQ:

Q:Do you have literature we can have?

A:Of course, we can post out a brochure or you can download it along

with data sheets direct from here

Q:Do you manufacture all products yourself?

A:We manufacture all of our core product ranges ourselves as a proud

best China manufacturer. A small number of our ancillary products are

brought in from trusted partners also mainly China based.!

Q:Do all of your products comply to National standards?

A:Our products meet China National standard ,IEC standard and the

relevant national standards such as SASO

Q:What lead times do you offer?

A: Lead time is dependent on many factors including type of unit and quantity required. We stock an extensive range of core product in a number of sizes that can be available 14 working days.Lead time indications are stated on quotations, but by all means feel free to ask for up to date information.

Q:Can I request a specific delivery time/day?

Safewire will always endeavour to meet our customer's requirements



and hit special delivery times every day

Q:Can I request a technical specification?

Please contact us to request a technical specification or product

certification.Email address:info@safewirele.com;

Q:How long is the warranty on your products?

There is a 12 month warranty from date of delivery. In the event of

any failure, items must be returned to Safewire for full investigation.

Q:What is your products installation?

There are various methods of fixing for each unit - a member of the

quotes team can talk you through the options or you can view them on

the website.

Q:Can you send me a price list?

As there are so many variations of specification possible for each unit -We can send you brochure or you can download it from the website. Please contact the Quotes Team direct for pricing.

Q:How much will it cost?

This will vary on the unit and the specification of the unit, please either

call a member of the quotes team or complete the online form.

Q:Can I request a sales visit or a visit to your factory?

Please contact us to request a visit from us or to our Head Office



address: No.152 Xinggua Road, Xinggua industry zone, Liushi town,

Yueqing, Wenzhou, China, 325604;

Q:Can I request a sample from Safewire?

Safewire are happy to supply sample to our partners, please contact us

directly to discuss your request.

Q:Can I request sales and marketing material?

Safewire are continually investing in their sales and marketing material,

please contact us directly to discuss your requirements.

Q:How long make a sample?

A: Within 7 working days upon receipt of confirmed order and payment

for standard product. Customization product order should be

confirmed between us.