



Wenzhou Safewire Electric Co.,Ltd.

No.152 Xingguang Road, Xingguang industry zone, Liushi town, Yueqing, Wenzhou,China ,325604  
Tel:0086-577-62799688; Email:info@safewirele.com;

[www.safewirele.com](http://www.safewirele.com)

---

## Quick Details

### Model: HTD-4

Place of origin : Zhejiang ,Wenzhou,China

Rated Current :10-25A

Type: floor socket

Current Type: AC

HS Code: 8536690000

Frequency:50Hz~60Hz

Grounding: Standard grounding

Voltage:110~240V

Color :golden or sliver

Market standard: Customized

Brand Name : Safewire or OEM brand

IP:44

### Application:

The Safewire pop-up outlets are perfect for situations where aesthetics are vital and space is a premium. They are an ideal complement for desk, boardroom tables, reception areas, retail counter where a limited number of outlets are required. This product is best suited for bench and desk top use but may be used in flooring.

- Office and education
- Industry and Engineering
- Presentation and retail;
- Orientation and safety;
- Transit areas and parking;



Wenzhou Safewire Electric Co.,Ltd.

No.152 Xingguang Road, Xingguang industry zone, Liushi town, Yueqing, Wenzhou,China ,325604  
Tel:0086-577-62799688; Email:info@safewirele.com;

[www.safewirele.com](http://www.safewirele.com)

---

- Hotels, hospitality and wellness;
- Health, sport and leisure;
- Art and culture;

### **Packaging & Delivery**

Inner packing box

Outer exporting carton

floor box, floor socket, power socket, floor socket outlet, floor socket box, Floor connector, floor mounted sockets, Floor receptacle, Pop up Floor Socket , Pop up Outlet Box, Damped socket, Floor Reticulation

### **1) Features:**

1. Nice appearance and safety design for floor management : Super quality Ultrathin plate with most options of surface color to decorate the upscale starred hotels, villas, first class residential apartments.
2. Open floor outlet adopts big press sheet and it is easy to start.
3. Easy One-Touch Installation: Dismount mechanism with invention patent work as dismount central hold down strip which is more convenient for replacing modules accessories.

### **(2) Advantages and Features:**

1. More Strong Scratch Resistance: Surface finish made from stainless



Wenzhou Safewire Electric Co.,Ltd.

No.152 Xingguang Road, Xingguang industry zone, Liushi town, Yueqing, Wenzhou,China ,325604  
Tel:0086-577-62799688; Email:info@safewirele.com;

[www.safewirele.com](http://www.safewirele.com)

---

steel or Brass by combination of tough material, Aluminum (ADC12) and shot blast finish on the surface achieves high scratch resistance.

2. More easy to replace or dismount accessories:Dismount mechanism work as dismount central hold down strip which is more convenient for replacing modules accessories.

3. High quality socket receptacle:Using elastic phosphor copper avoids playing spark plug and plug set to bit dead ,ensure high conductivity and more life of pulling and plugging over 15000 times.PC+ABS(1.Modules fireproof : 850 degree C temp.; 2.Modules don't distortion under 102 degree C temp.; 3.Stand under 15 degree C temp) ;Oxygen Insulation & Fire resistance in accordance with UL94 international standard.

4. Long lifetime of push button: More than 5000 times of push button.

5. More soft and slow damping device:The damping speed of our device is 10 times slower than simliar products.

6. More heavy duty of bottom boxes:Thickness of bottom boxes is over



Wenzhou Safewire Electric Co.,Ltd.

No.152 Xingguang Road, Xingguang industry zone, Liushi town, Yueqing, Wenzhou,China ,325604  
Tel:0086-577-62799688; Email:info@safewirele.com;

[www.safewirele.com](http://www.safewirele.com)

1mm.

#### (4) Characteristics:

floor box,floor socket,power socket,floor socket outlet,floor socket box,Floor connector,floor mounted sockets,Floor receptacle,Pop up Floor Socket ,Pop up Outlet Box,Damped socket,Floor Reticulation

Brand	Safewire
Item	HTD-4
Application:	Residential ,Industrial or public
Color:	Golden, sliver, black, red, etc.
Material:	Brass alloy, stainless steel etc.
Surface treatment	Satin/Sandblasting/Spray painting
Type:	Floor socket
Frequency:	50HZ-60HZ
Grounding:	Standard Grounding
Voltage:	90-260V
Rated Current:	15
Available modules:	Type 45,43,120,118,128,American GFCI series



Wenzhou Safewire Electric Co.,Ltd.

No.152 Xingguang Road, Xingguang industry zone, Liushi town, Yueqing, Wenzhou,China ,325604  
Tel:0086-577-62799688; Email:info@safewirele.com;

[www.safewirele.com](http://www.safewirele.com)

Damping device (DP):

Normal Pop-up & Soft Pop-up available

### 5.Our service:

<p>Good price High quality Nice service Great credit</p>	 <p>12 months warranty</p> <p>Refund or replacement for any product faulty</p>	 <p>100% GUARANTEE</p> <p>Before shipment 100% quality checking</p>
	 <p>THE ONE STOP SOURCE</p> <p>One -stop total solution</p>	 <p>New</p> <p>New product into our range every year</p>




Wenzhou Safewire Electric Co.,Ltd.


No.152 Xingguang Road, Xingguang industry zone, Liushi town, Yueqing, Wenzhou,China ,325604  
Tel:0086-577-62799688; Email:info@safewirele.com;

[www.safewirele.com](http://www.safewirele.com)

**6.Product Show:**



**HTD-4 Outline drawing:**



**Available Terminal block for different wire :**

**Fast connection terminal: Wire of 1~2.5 m m<sup>2</sup>**



**SAFEWIRE**


Wenzhou Safewire Electric Co.,Ltd.

No.152 Xingguang Road, Xingguang industry zone, Liushi town, Yueqing, Wenzhou,China ,325604  
Tel:0086-577-62799688; Email:info@safewirele.com;

[www.safewirele.com](http://www.safewirele.com)

### 3/4 Screw terminal: wire of 0.5~6m m<sup>2</sup>


#### Terminal for Floor Socket




**Terminal block code: HTJ-001**  
Fast connection terminal  
■ Hard wire insert connected;  
■ Suit wire 1mm<sup>2</sup>-2.5mm<sup>2</sup>.



**Terminal block code: HTJ-002**  
3 screws terminal  
■ Tight by screw;  
■ Suit wire 0.5mm<sup>2</sup>-6mm<sup>2</sup>;  
■ Suit hard wire & soft wire.



**Terminal block code: HTJ-003**  
4 screw terminal  
■ Tight by screw;  
■ Suit wire 0.5mm<sup>2</sup>-6mm<sup>2</sup>;  
■ Suit hard wire & soft wire;  
■ More terminal connected, suit for three phase 4 wire.




**Wire clamp: HTJ-003**  
■ Hold the wire more tight.

### Dismount mechanism with invention patent

Dismount mechanism work as dismount central hold down strip which is more convenient for replacing modules accessories.

#### Soft Type (Adjustable) Floor Socket



### Damping device:

The damping speed of our device is 10 times slower than simliar



**Wenzhou Safewire Electric Co.,Ltd.**

No.152 Xingguang Road, Xingguang industry zone, Liushi town, Yueqing, Wenzhou,China ,325604  
 Tel:0086-577-62799688; Email:info@safewirele.com;

[www.safewirele.com](http://www.safewirele.com)

products.




Soft Pop-up  
Code:ZN



Pop-up  
Slowly



More safety




**10 Times**

The floor socket equipped with soft starting device, the opening speed of which is 20 times slower than regular products. State for opening: uniform speed, slow.

**Available sockets or modules types:**

**Available sockets :**

**45 Type**



**118 Type**



**More International sockets is customization:**



Serial No.	Parameter	Description
------------	-----------	-------------






**Wenzhou Safewire Electric Co.,Ltd.**

No.152 Xingguang Road, Xingguang industry zone, Liushi town, Yueqing, Wenzhou,China ,325604  
 Tel:0086-577-62799688; Email:info@safewirele.com;

[www.safewirele.com](http://www.safewirele.com)

<b>1</b>	<b>Product picture</b>	
<b>2</b>	<b>Panel Material</b>	Brass alloy/Alu alloy
<b>3</b>	<b>Surface finish</b>	Wire drawing/Polishing/Spray painting
<b>4</b>	<b>Panel Dimension(mm)</b>	120*120
<b>5</b>	<b>Cutout(mm)</b>	103x105
<b>6</b>	<b>Capacity of modules /Interface size</b>	3 ways modules
<b>7</b>	<b>Bracket material</b>	Zinc Alloy & Alu Alloy
<b>8</b>	<b>Sink box Material</b>	Steel+Zinc plated
<b>9</b>	<b>Sink box Thickness:</b>	Ga steel/1.2mm
<b>10</b>	<b>IP Rating</b>	IP Rated 40 Closed and IP30 open

**7. Process flow:**


we apply ERP data management system , greatly increased the management in plan ,purchase, storage , manufacture and sales .



Wenzhou Safewire Electric Co.,Ltd.

No.152 Xingguang Road, Xingguang industry zone, Liushi town, Yueqing, Wenzhou,China ,325604  
Tel:0086-577-62799688; Email:info@safewirele.com;

[www.safewirele.com](http://www.safewirele.com)



## 8.About us:

Wenzhou Safewire Electric Co.,Ltd is a company specialized in the manufacture and sale of items in the field of electrical installation material and goods. We embarked on the relentless pursuit of being the biggest supplier with over 30,000 square meters building areas in China as we are engaged in producing and selling high-quality wiring systems produced in accordance with international standards. Our factory was recognized through ISO9001,ISO14001,OHSAS18001. And also be 3rd



Wenzhou Safewire Electric Co.,Ltd.

No.152 Xingguang Road, Xingguang industry zone, Liushi town, Yueqing, Wenzhou,China ,325604  
Tel:0086-577-62799688; Email:info@safewirele.com;

[www.safewirele.com](http://www.safewirele.com)

quality certification such as CE and SASO etc.



Happy He - General Manager: [happyhe@safewirele.com](mailto:happyhe@safewirele.com);

Mr. Zhou -VP:[info@safewirele.com](mailto:info@safewirele.com);

Olivia Yang - Market:[mkt1@safewirele.com](mailto:mkt1@safewirele.com);

Alice.Liu-Market:[mkt2@safewirele.com](mailto:mkt2@safewirele.com);

Zuo Juan-Sales :[sales1@safewirele.com](mailto:sales1@safewirele.com);

**FAQ:**



Wenzhou Safewire Electric Co.,Ltd.

No.152 Xingguang Road, Xingguang industry zone, Liushi town, Yueqing, Wenzhou,China ,325604  
Tel:0086-577-62799688; Email:info@safewirele.com;

[www.safewirele.com](http://www.safewirele.com)

---

**Q:Do you have literature we can have?**

**A:Of course, we can post out a brochure or you can download it along with data sheets direct from here**

**Q:Do you manufacture all products yourself?**

**A:We manufacture all of our core product ranges ourselves as a proud best China manufacturer. A small number of our ancillary products are brought in from trusted partners also mainly China based.!**

**Q:Do all of your products comply to National standards?**

**A:Our products meet China National standard ,IEC standard and the relevant national standards such as SASO**

**Q:What lead times do you offer?**

**A: Lead time is dependent on many factors including type of unit and quantity required. We stock an extensive range of core product in a number of sizes that can be available 14 working days.Lead time indications are stated on quotations, but by all means feel free to ask for up to date information.**

**Q:Can I request a specific delivery time/day?**

**Safewire will always endeavour to meet our customer' s requirements and hit special delivery times every day**

**Q:Can I request a technical specification?**

---



Wenzhou Safewire Electric Co.,Ltd.

No.152 Xingguang Road, Xingguang industry zone, Liushi town, Yueqing, Wenzhou,China ,325604  
Tel:0086-577-62799688; Email:info@safewirele.com;

[www.safewirele.com](http://www.safewirele.com)

---

**Please contact us to request a technical specification or product certification.Email address:info@safewirele.com;**

**Q:How long is the warranty on your products?**

**There is a 12 month warranty from date of delivery. In the event of any failure, items must be returned to Safewire for full investigation.**

**Q:What is your products installation?**

**There are various methods of fixing for each unit - a member of the quotes team can talk you through the options or you can view them on the website.**

**Q:Can you send me a price list?**

**As there are so many variations of specification possible for each unit - We can send you brochure or you can download it from the website. Please contact the Quotes Team direct for pricing.**

**Q:How much will it cost?**

**This will vary on the unit and the specification of the unit, please either call a member of the quotes team or complete the online form.**

**Q:Can I request a sales visit or a visit to your factory?**

**Please contact us to request a visit from us or to our Head Office address: No.152 Xinggua Road, Xinggua industry zone, Liushi town, Yueqing, Wenzhou,China ,325604;**

---



Wenzhou Safewire Electric Co.,Ltd.

No.152 Xingguang Road, Xingguang industry zone, Liushi town, Yueqing, Wenzhou,China ,325604  
Tel:0086-577-62799688; Email:info@safewirele.com;

[www.safewirele.com](http://www.safewirele.com)

---

**Q:Can I request a sample from Safewire?**

**Safewire are happy to supply sample to our partners, please contact us directly to discuss your request.**

**Q:Can I request sales and marketing material?**

**Safewire are continually investing in their sales and marketing material, please contact us directly to discuss your requirements.**

**Q:How long make a sample?**

**A: Within 7 working days upon receipt of confirmed order and payment for standard product. Customization product order should be confirmed between us.**