

## WENZHOU SAFEWIRE ELECTRIC CO.,LTD.

Address:Liushi town, Yueqing, Wenzhou , Zhejiang,China,325604

Tel:0086-577-61725370

Mail:info@safewirele.com

Wechat:happyhe7806

Skype:happy.he7806

Whatsapp:008618612380398

QQ:1119145917

Web:[WWW.SAFEWIRELE.COM](http://WWW.SAFEWIRELE.COM)




For more details,  
please visit:  
[www.safewirele.com](http://www.safewirele.com)  
or scan this QR code.



TÜV Rheinland®

20 years OEM factory for almost world-wide brand of floor sockets

 **SAFEWIRE**, Safe Wiring System  
Since 1998; 20 years OEM factory for global brand




**Desktop / Furniture Electric**




Safewire **2023-2024** Season


*Desktop socket / PDU socket / wireless charger*




**FZ-517**




**FZ-521**




**FZ-527**




**FZ-508**




**FZ-507**



**FZ-561**




## Desktop / Furniture Electric





## Features

1. Charging distance over : 10-20mm, more complete wood, glass, porcelain, rock surface while charging.




2. More 10 optional Grommet , flush-mounting, undertable, and column etc. design.




## Advantage

1. PD18W, QC3.0, 5W/7.5W/10W/15W QI I-coilfast wireless charger




2. Teeth around and lock mechanism, more stable & Convenient Installation.

3. Supply with Input USB Cable and accessories.




## Specification

1. Overcurrent protection, over voltage protection Temperature control, smart clip, safety protection for you device.







## Safewire Media Control Box: SFU-Box-S1

### Product Feature Description

Intel Gemini Lake-R J4125 Embedded

1\* RJ45,GigaL \_AN,2\* USB3.0

DC 12,2A

8 + 128GB(Optional)

1\* HDMI,1\* micro SD


Dimensions: 62x62x45 mm

### FT-09W



Output	5V/1A 9V/1.1A		
Voltage	110-240V		
Input	5V 2A (two port)		
Materials	ABS		
Charging Distance	8mm		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
16	53*34*24	0.043	50

Outline Drawing:




### FT-10W



Output	5V/1A 9V/1.1A		
Voltage	110-240V		
Input	5V2A 9V1.67A		
Charging Distance	2-25mm		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
5	36.4*28*18	0.018	18

Outline Drawing:




### FT-12W



Output	5V/1A 9V/1.1A		
Voltage	110-240V		
Input	5V2A 9V1.67A		
USB port	5V/2A(two port)		
Charging Distance	8mm		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
5.5	43.5*24.5*27.5	0.029	50

Outline Drawing:




### FMF-18W



Output	5V/1A 9V/1.1A		
PD output	18W		
Voltage	110-240V		
Input	5V2A		
Describe	Mobile phone support + Wireless charging + two port USB		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
10.5	47*39*20	0.037	30

Outline Drawing:




### FT-06W



Output Rate	15W		
Input	Type C USB charger+DC input		
Panel Dimension(mm)	Ø75mm		
Color	white or black or OEM		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
5.5	43.5*24.5*27.5	0.029	50

Outline Drawing:




### FT-07W



Output	5V/1A 9V/1.1A		
Voltage	110-240V		
Input	5V2A		
Product Size	Ø74 * 18mm		
Charging Distance	8mm		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
5	36.4*28*18	0.018	18

Outline Drawing:




### FT-08W



Output	5V/1A 9V/1.1A		
Voltage	110-240V		
Input	5V2A		
Product size	Ø70* 24.5mm		
Charging Distance	8mm		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
5.5	43.5*24.5*27.5	0.029	50

Outline Drawing:




### FV-10W




Output	5V/1A 9V/1.1A		
Voltage	110-240V		
Input	5V1A		
Charging Distance	8mm		
Describe	This is antivirus box with wireless charging. Disinfection of power is 5W, The time for disinfection can be 2 minutes or 5 minutes.		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
5	36.4*28*18	0.018	18

Outline Drawing:




### FN-19W




Output rate	15W		
Voltage	110-240V		
Input	5V2A		
Describe	Support Iphone, Apple Watch1, watch2, watch3, watch4, watch5, ect		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
5	36.4*28*18	0.018	18

Outline Drawing:




## FN-20W



Output rate	18W		
Voltage	110-240V		
Input	space aluminum		
Describe	Support Iphone, Apple Watch1, watch2, watch3, watch4, watch5, ect		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
5	36.4*28*18	0.018	18

Outline Drawing:




## FZ-521B-WF



Wattage	Aluminum alloy		
Panel Dimension (mm)	340*130		
Cutout (mm)	328*116		
Capacity Of Modules	8 ways 45*45mm modules		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
17.5	52*34.5*68.5	0.123	12

Outline Drawing:




## FZ-521S-WF




Wattage	Aluminum alloy		
Panel Dimension (mm)	340*130		
Cutout (mm)	328*116		
Capacity Of Modules	8 ways 45*45mm modules		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
17.5	53.5*37*34.5	0.068	6

Outline Drawing:



IP44 Level protector shutter socket



45 degree socket, more easy plug into unites.



Optional motorised pop up with bluetooth/USB and wireless charge etc.



**FZ-VL-001**



**FZ-527E/W**



**FZ-527E/U**



**1.Safewire Cylindrical socket application in different system:**



**FZ-VL-001**



**FZ-527E/W**



**FZ-526-8**



**FZ-502W**



**FZ-502B**



**SFGS811-WL**

2. Anodised EV1 Aluminum Brushing wire drawing or black powder-coated housing.



FZ-VL-001




FZ-527E/U



FZ-527B



More optional  $\phi 80\text{mm}$ ,  $\phi 100$ ,  $\phi 124\text{mm}$  for grommet hole in furniture.






**VLD: Vertical Liftable Desktop**

**FZ-VL-001**



Panel Material	Aluminum 6063, PC zinc alloy		
Surface finish	silver/black		
Capacity of modules	16 ways 45*45mm modules		
Describe	wireless charger & USB motorised pop up with USB/bluetooth/outlets		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
10.4	47*42*27.5	0.054	6

Outline Drawing:




**FZ-VL-002**



Panel Material	Aluminum 6063, PC zinc alloy		
Surface finish	silver/black		
Capacity of modules	16 ways 45*45mm modules		
Describe	wireless charger & USB motorised pop up with USB/bluetooth/outlets		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
10.4	47*42*27.5	0.054	6

Outline Drawing:




**FZ-527E/W**



Material	Aluminum 6063, PC zinc alloy		
Optional color	silver/black		
Capacity of modules	8 ways 45*45mm modules		
Describe	wireless charger & USB motorised pop up with USB/bluetooth/outlets		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
10.4	47*42*27.5	0.054	6

Outline Drawing:




**FZ-527E/U**



Material	Aluminum 6063, PC zinc alloy		
Optional color	silver/black		
Capacity of modules	8 ways 45*45mm modules		
Describe	Motorised pop up with USB/bluetooth/outlets		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
10.4	47*42*27.5	0.054	6

Outline Drawing:




### FZ-527B



Panel Material	Stainless		
Surface finish	Painted/Oxygenated		
Capacity of modules	8 ways 45*45mm modules		
Describe	Cylindrical engineer pop up with UsB/outlets		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
10.4	47*42*27.5	0.054	6

Outline Drawing:




### FZ-527



Panel Material	Stainless		
Surface finish	Painted/Oxygenated		
Capacity of modules	8 ways 45*45mm modules		
Describe	Pneumatic pop up with USB/outlets		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
10.4	47*42*27.5	0.054	6

Outline Drawing:




### FZ-520



Panel Material	Zinc Alloy/Steel		
Surface finish	Painted/Oxygenated		
Capacity of modules	4~10 ways 45*45mm modules		
Describe	Cylindrical lifttable pop up with USB/outlets		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
10.4	47*42*27.5	0.054	6

Outline Drawing:





### FZ-526-8



Panel Material	Aluminum 6063, PC zinc alloy		
Surface finish	Painted/Oxygenated		
Capacity of modules	8 ways 45*45mm modules		
Describe	Cylindrical pop up with USB/outlets		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
10.4	47*42*27.5	0.054	6

Outline Drawing:







Black



White



Silver



Gold



Graphite



Nicket



### 6 ways ,4 ways,45\*45mm power Socket & Data



F2



F4



F11



F15



F18



F59



F65A



F21/F23



F23



F55



F50



F51




F52

Bridge empty enclosure or complete socket with plug cable.



IP44, Aluminum alloy plate + UL94 PC fire retardant box , More higher insulation, more safety.



45mm snap-in socket+ 2 bridge support + screw fixing box, Easy Installation & replacement save labor cost.



45 degree/180 degree plug with socket + IP44 pop up 45mm socket with shutter, more best plug.

45 degree

180 degree



IP44 pop up 45mm socket with shutter


**PUD:Pop Up Desktop**



**FZ-517B**

Panel Material	Aluminum alloy		
Panel Dimension (mm)	240*120		
Cutout (mm)	231*12		
Capacity Of Modules	6 ways 45*45mm modules		
Color	Black RAL9005		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
15.4	48*31*42	0.062	12


Outline Drawing:



**FZ-517-DN B/W/S**

Panel Material	Aluminum alloy		
Panel Dimension (mm)	266*118		
Cutout (mm)	231*112		
Capacity Of Modules	6 ways 45*45mm modules		
Color	Black / White / Silver		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
9.95	44.5*28.5*27	0.034	9

Outline Drawing:




## FZ-515B



Panel Material	Aluminum alloy		
Panel Dimension (mm)	170*123		
Cutout (mm)	148*115		
Capacity Of Modules	4 ways 45*45mm modules		
Color	Black		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
8.76	49*42.7*27	0.056	12

Outline Drawing:




## FZ-515S



Panel Material	Aluminum alloy		
Panel Dimension (mm)	170*123		
Cutout (mm)	148*115		
Capacity Of Modules	4 ways 45*45mm modules		
Color	Silver		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
8.76	49*42.7*27	0.056	12

Outline Drawing:




## FZ-515W




Panel Material	Aluminum alloy		
Panel Dimension (mm)	170*123		
Cutout (mm)	148*115		
Capacity Of Modules	4 ways 45*45mm modules		
Color	White		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
8.76	49*42.7*27	0.056	12

Outline Drawing:





**Modular design for Configuration of power supply and communication, 45\*45mm modular, 86 type switch and International Brand data etc.**



F2

F4

F11

F15

F18



F59

F65A

F21/F23

F55

F50

F51

F52







FZ-TB-B



FZ-TB-A



FZ-TB-W

**Fixed or Free-standing Installation.**




Fixed Installation



Free-standing

**Configuration and dimension can be customization.**




1. Cable Management 4. CMD: Clamped Mounted Desktop

**FZ-CK02**



Panel Material	Aluminum		
Panel Dimension (mm)	L*86d*87h mm		
Cutout (mm)	(L-30)*80d mm		
Capacity Of Modules	7 modules		
Color	Silver / Black		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
12. 15	56*31*31	0. 054	10

Outline Drawing:




**FZ-CK03**



Panel Material	Aluminum		
Panel Dimension (mm)	L*102d*103h mm		
Cutout (mm)	(L-30)*106d mm		
Capacity Of Modules	2-7 modules		
Color	Silver / Black		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
12. 15	56*31*31	0. 054	10

Outline Drawing:




**FZ-TB-W**



Panel Material	Aluminum alloy/PC		
Panel Dimension (mm)	200*63		
Cutout (mm)	170*33		
Capacity Of Modules	6/8/10 ways 50*50mm black /45*45mm white modules		
Color	White		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
12. 15	56*31*31	0. 054	10

Outline Drawing:




### FZ-TB-B (black)



Panel Material	Powder-Coated Aluminum housing		
Panel Dimension (mm)	200*63		
Cutout (mm)	170*33		
Capacity Of Modules	50*50mm black modules /45*45mm white modules		
Color	Black		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
12.15	56*31*31	0.054	10

Outline Drawing:




### FZ-TB-A



Panel Material	Aluminum alloy/PC		
Panel Dimension (mm)	200*63		
Cutout (mm)	170*33		
Capacity Of Modules	50*50mm black modules /45*45mm white modules		
Color	Silver / Black		
Describe	Flush-mounting with power cable		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
17.6	52*41*39	0.083	12

Outline Drawing:




### FZ-TB-A/P



Panel Material	Aluminum alloy/PC		
Panel Dimension (mm)	200*63		
Cutout (mm)	170*33		
Capacity Of Modules	50*50mm black modules /45*45mm white modules		
Color	Silver / Black		
Describe	Flush-mounting with power cable / GST		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
17.6	52*41*39	0.083	12

Outline Drawing:




### FZ-TB-A/G



Panel Material	Aluminum alloy/PC		
Panel Dimension (mm)	200*63		
Cutout (mm)	170*33		
Capacity Of Modules	50*50mm black modules /45*45mm white modules		
Color	Silver / Black		
Describe	Flush-mounting with GST cable		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
17.6	52*41*39	0.083	12

Outline Drawing:




### FZ-CK06



Panel Material	Aluminum		
Panel Dimension (mm)	L*102d*103h mm		
Cutout (mm)	(L-30)*106d mm		
Capacity Of Modules	8 modules		
Color	Silver / Black		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
12.15	56*31*31	0.054	10

Outline Drawing:




### FA-1770-D



Panel Material	Fire-retardant ABS plastic		
Panel Dimension (mm)	86.4*115*85		
Cutout (mm)	70*100*70		
Capacity Of Modules	2 ways (45*45mm)modules		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
12.15	56*31*31	0.054	10

Outline Drawing:




### FA-1770-U



Panel Material	Fire-retardant ABS plastic		
Panel Dimension (mm)	86.4*115*85		
Cutout (mm)	70*100*70		
Capacity Of Modules	2 ways (45*45mm)modules		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
12.15	56*31*31	0.054	10

Outline Drawing:




### FA-2770



Panel Material	Fire-retardant ABS plastic		
Panel Dimension (mm)	146.4*115*85		
Cutout (mm)	120*95*65		
Capacity Of Modules	4 ways (45*45mm)modules		
Capacity of modules	4 ways (45*45mm modules & 146*86 type socket		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
12.15	56*31*31	0.054	10

Outline Drawing:



# Wall Mounted Socket Series

## More Protection

Polish material protect from oil and water



Say No



Oil



Water



304 Stainless / Chrome surface finish , more performance anti-corrosion & anti-oil



SFGLC-1






SFGLC86-1



SFGLC86-2



SFGLC86-3



More optional color like Silver/Black/White/Graphite etc.



Black



White



Silver



Gold





Graphite





Nickel

## 1.Safewire's Counter top socket Application in different system

Kitchen socket solutions



Leid-Corner + Lampa-2



**International 45×45 mm /86 type switch ,bluetooth, 4.2USB, PD USB Charger and socket.**


**1. 86 type switch**



**2. 45×45 mm bluetooth, 4.2USB, PD USB Charger**




**3. 45×45 mm type**



**3. Supply with GST or Cable Connector accessories etc.**



**Customization OEM & ODM Production: Reasonable MOQ ≤100 Units.**




**CAP: Corner Aluminum Profile**

**SFGLC-2**



Panel material	Aluminum alloy		
Feature	Usually used in the kitchen, hotel and so on		
Capacity of modules	4 ways (45*45mm)modules		
Color surface	Silver		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
12.15	56*31*31	0.054	10

Outline Drawing:




**SFGLC-3**



Panel material	Aluminum alloy		
Feature	Usually used in the kitchen, hotel and so on		
Capacity of modules	6 ways (45*45mm)modules		
Color surface	Silver		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
12.15	56*31*31	0.054	10

Outline Drawing:





**FZ-508**



Panel Material	ABS		
Panel Dimension (mm)	320*67*68		
Cutout (mm)	300*50*50		
Capacity Of Modules	Max.9ways 45*45mm modules		
Color surface	Black		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
12.15	56*31*31	0.054	10

Outline Drawing:






### SFGLC-1



Panel Material	Stainless Steel		
Panel Dimension (mm)	86*86*40mm		
Capacity of Modules	One 86*86mm Socket		
Color	Champaign gold/Rose-bengal /black/Stainless steel silver		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
17.6	52*41*39	0.083	12

Outline Drawing:




### SFGLC86-1



Panel Material	Stainless Steel		
Panel Dimension (mm)	86*86*40mm		
Capacity of Modules	One 45*45mm/86 type Socket		
Color	Champaign gold/Rose-bengal /black/Stainless steel silver		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
17.6	52*41*39	0.083	12

Outline Drawing:




### SFGLC86-2



Panel Material	Stainless steel		
Panel Dimension (mm)	86*171*40mm		
Capacity of Modules	Two 45*45mm/86 type Socket		
Color	Champaign gold/Rose-bengal /black/Stainless steel silver		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
17.6	52*41*39	0.083	12

Outline Drawing:




### SFGLC86-3



Panel Material	Stainless steel		
Panel Dimension (mm)	86*258*40mm		
Capacity of Modules	Three 45*45mm/86 type Socket		
Color	Champaign gold/Rose-bengal /black/Stainless steel silver		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
17.6	52*41*39	0.083	12

Outline Drawing:





Recessed in the top of desk/table , simply press down to open it with Spring clip.



Configuration and dimension can be customization.


Adjustable built-in frame fitting for more optional plug clearance.



6 way



8 way






HT-146TS



HT-86SS


COMMSCOPE®  
 CRESTRON  
 NEUTRIK  
 Extron®



Modular design for Configuration of power supply and communication, 45\*45mm modular, 86 type switch and International Brand data etc.



F2



F4



F11



F15



F18



F59



F65A



F21/F23



F55



F50



F51



F52


Anodised Ev1 Aluminum/Brushing wire drawing flap , optional black powder-coated housing.



FZ-L002A/B



Be closed while device have been plugged in and without crushing the cables.



FZ-521C



Side-mounting


**FMD: Flush Mount Desktop**

**FZ-507S**



Panel Material	Aluminum alloy/steel		
Panel Dimension (mm)	223*62*45		
Cutout (mm)	229*58		
Capacity Of Modules	Max. 8 ways 45*45mm modules		
Color	Silver/ Black/Gray		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
25	51*34*33	0.057	12

Outline Drawing:




**FZ-507B**



Panel Material	Aluminum alloy/steel		
Panel Dimension (mm)	223*62*45		
Cutout (mm)	229*58		
Capacity Of Modules	Max. 8 ways 45*45mm modules		
Color	Black		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
25	51*34*33	0.057	12

Outline Drawing:




**FZ-536**



Panel Material	Aluminum alloy		
Panel Dimension (mm)	200*86*76		
Cutout (mm)	180*60*50		
Capacity Of Modules	6 ways 45*45mm modules		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
11.7	40*25.5*43	0.044	12

Outline Drawing:




### FZ-PFB01



Panel Material	PC		
Panel Dimension (mm)	95*94		
Cutout (mm)	80*80		
Capacity Of Modules	Slide coverplate with outlet&USB		
Color	Black		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
8.45	58*49*35	0.099	33

Outline Drawing:




### FZ-ZS1



Panel Material	ABS		
Panel Dimension (mm)	67.8*33.4*24.7		
Output voltage	5W, 18W		
Scope of charging	Charger with USB port		
Color	Black		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
17.6	52*41*39	0.083	12

Outline Drawing:




### FZ-ZS2



Panel Material	ABS		
Panel Dimension (mm)	66*23*6		
Output voltage	5W, 18W		
Scope of charging	Charger with USB port		
Color	Black		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
17.6	52*41*39	0.083	12

Outline Drawing:




## FZ-PFB02



Panel Material	PC		
Panel Dimension (mm)	95*94		
Cutout (mm)	80*80		
Capacity Of Modules	Slide coverplate with 45*45mm socket & USB		
Color	Black		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
8.45	58*49*35	0.099	33

Outline Drawing:




## FZ-501B



Panel Material	Zinc alloy		
Panel Dimension (mm)	Ø110		
Cutout (mm)	Ø102		
Capacity Of Modules	3 ways (45*45mm)modules		
Color	Black		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
16	53*34*24	0.043	50

Outline Drawing:




## FZ-501S



Panel Material	Zinc alloy		
Panel Dimension (mm)	Ø110		
Cutout (mm)	Ø102		
Capacity Of Modules	3 ways (45*45mm)modules		
Color	Silver		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
16	53*34*24	0.043	50

Outline Drawing:




### FZ-502W



Panel Material	Fire-retardant PC plastic		
Panel Dimension (mm)	Ø120		
Cutout (mm)	Ø108		
Capacity Of Modules	45*45mm modules		
Color	White		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
16	53*34*24	0.043	50

Outline Drawing:




### FZ-502B



Panel Material	Fire-retardant PC plastic		
Panel Dimension (mm)	Ø120		
Cutout (mm)	Ø108		
Capacity Of Modules	45*45mm modules		
Color	Black		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
16	53*34*24	0.043	50

Outline Drawing:




### SFGS811-UK



Panel Material	PC		
Panel Dimension (mm)	Ø90		
Cutout (mm)	Ø85		
Capacity Of Modules	typeA,typeC		
Color	white, etc		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
16	53*34*24	0.043	50

Outline Drawing:




### SFGS811-WL



Panel Material	PC		
Panel Dimension (mm)	Ø90		
Cutout (mm)	Ø85		
Capacity Of Modules	typeA,typeC,Wireless charging		
Color	white,etc		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
16	53*34*24	0.043	50

Outline Drawing:




### SFGS811-EU



Panel Material	PC		
Panel Dimension (mm)	Ø90		
Cutout (mm)	Ø85		
Capacity Of Modules	typeA,typeC,Wireless charging		
Color	white,etc		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
16	53*34*24	0.043	50

Outline Drawing:




### SFGS811-US



Panel Material	PC		
Panel Dimension (mm)	Ø90		
Cutout (mm)	Ø85		
Capacity Of Modules	typeA,typeC,US Socket		
Color	white,etc		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
16	53*34*24	0.043	50

Outline Drawing:






### FZ-561E



Panel Material	Aluminum alloy+PC		
Panel Dimension (mm)	324*109*104		
Cutout (mm)	298*104		
Capacity Of Modules	8 ways 45*45mm modules		
Color	Silver / Black		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
11.5	63*39*28	0.069	7

Outline Drawing:




### FZ-561



Panel Material	Aluminum alloy+PC		
Panel Dimension (mm)	285.5*109*104		
Cutout (mm)	258*105		
Capacity Of Modules	8 ways 45*45mm modules		
Color	Silver / Black		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
11.5	63*39*28	0.069	7

Outline Drawing:




### FZ-521S



Panel Material	Aluminum alloy		
Panel Dimension (mm)	265*130		
Cutout (mm)	254*116		
Capacity Of Modules	9 ways 45*45mm modules		
Color	Silver		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
10.6	52*28.5*29.5	0.044	12

Outline Drawing:




### FZ-521B



Panel Material	Aluminum alloy		
Panel Dimension (mm)	265*130		
Cutout (mm)	254*116		
Capacity Of Modules	9 ways 45*45mm modules		
Color	Black		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
32	56*31*31	0.054	20

Outline Drawing:




### FZ-521C



Panel Material	Fire-retardant PC plastic		
Panel Dimension (mm)	265*130		
Cutout (mm)	254*116		
Capacity Of Modules	9 ways 45*45mm modules		
Color	Silver / Black		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
32	56*31*31	0.054	20

Outline Drawing:




### FZ-525



Panel Material	Aluminum alloy		
Panel Dimension (mm)	340*150		
Cutout (mm)	312*132		
Capacity Of Modules	8 ways 45*45mm modules		
Feature	Dual flip with spring		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
32	56*31*31	0.054	20

Outline Drawing:




### FZ-528



Panel Material	Aluminum alloy		
Panel Dimension (mm)	265*130		
Cutout (mm)	254*116		
Capacity Of Modules	8 ways 45*45mm modules		
Color	Silver / Black		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
32	56*31*31	0.054	20

Outline Drawing:




### FZ-L001A/B



Panel Material	Aluminum alloy(silver), zinc alloy(black)		
Panel Dimension (mm)	300*145*97		
Cutout (mm)	380*135		
Capacity Of Modules	3*86type modules		
Color	Silver / Black		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
10.6	52*28.5*29.5	0.044	12

Outline Drawing:




### FZ-L002A/B




Panel Material	Aluminum alloy		
Panel Dimension (mm)	340*130		
Cutout (mm)	328*116		
Capacity Of Modules	Power outlet+Data outlet or USB charging : Customized as required		
Color	Silver / Black		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
10.6	52*28.5*29.5	0.044	12

Outline Drawing:




### FZ-Z300



Panel Material	Aluminum alloy		
Panel Dimension (mm)	340*130		
Cutout (mm)	328*116		
Capacity Of Modules	Power outlet+Data outlet or USB charging : Customized as required		
Feature	Dual flip without spring		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
10.6	52*28.5*29.5	0.044	12

Outline Drawing:



### FX-ZSG-A



Panel Material	Aluminum alloy		
Panel Dimension (mm)	260*158		
Cutout (mm)	233*129		
Capacity Of Modules	Power outlet+Data outlet or USB charging : Customized as required		
Feature	Dual flip without spring		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M <sup>3</sup> )	Set/CTN
10.6	52*28.5*29.5	0.044	12

Outline Drawing:

