

Wenzhou Safewire Electric CO.,Ltd.

# SPECIFICATION SHEET

**PRODUCT NAME:**            **Desktop socket**

**PRODUCT No. :**            **FZ-Z300**



Address:2nd floor, Wealth Garden, Liushi town, Yueqing, Wenzhou,China ,325604

Tel:0086-577-61725369

Mob:0086-18612380398

ZIP:325604

(E-mail) : [info@safewirele.com](mailto:info@safewirele.com)

(WEB): <http://www.safewirele.com>

**Tel:0086-577-61725369;**


**Email:[info@safewirele.com](mailto:info@safewirele.com);**

**<http://www.safewirele.com>**

## Quick Details:

Serial No.	Parameter	Description
1	Safewire item	FZ-Z300
2	Surface finish	Electroplated/Painted/Power sprayed
3	Panel Dimension(mm)	340*130
4	Cutout(mm)	328*116
5	Height of product(mm)	105
6	Bottom box size(mm)	221*108
7	Bottom box material	ABS Plastic
8	Capacity of modules /Interface size	9 ways 45*45mm modules
9	Configuration	Power outlet+Data outlet or USB charging : Customized as required
10	Cable length	1.5m, 2m,2m or required length

## Application:



## 1.Feature of Safewire Recessed socket :

1.Modular design for Configuration of power supply and communication,45\*45mm modular,86 type switch and Internation Brand data etc.



**SAFEWIRE**

Wenzhou Safewire Electric Co.,Ltd.

2nd floor, Wealth Garden, Liushi town, Yueqing, Wenzhou,China ,325604

**SAFEWIRE**



2.Recessed in the top of desk/table , simply press down to open it with Spring clip.

**SAFEWIRE**



3.Be closed while device have been plugged in and without crushing the cables.

**SAFEWIRE**



FZ-521C



Side-mounting

## 2.Advantage of Safewire Recessed socket :

1.Configuration and dimension can be customization.

**SAFEWIRE**



6 way



8 way

2.Anodised Ev1 Aluminum/Brushing wire drawing flap , optional black powder-coated housing.



**SAFEWIRE**

Wenzhou Safewire Electric Co.,Ltd.

2nd floor, Wealth Garden, Liushi town, Yueqing, Wenzhou,China ,325604

**SAFEWIRE**



FZ-L002A/B



**3.Adjustable built-in frame fitting for more optional plug clearance.**

**SAFEWIRE**



## 3.Specification of Safewire Recessed socket:

**A)Product dimension:**

FZ-Z300 Units:mm



**B)45\*45mm modules&socket:**






**SAFEWIRE**

Wenzhou Safewire Electric Co.,Ltd.

2nd floor, Wealth Garden, Liushi town, Yueqing, Wenzhou,China ,325604

### product display



### C)Safewire pop up desksocket application in different system:



Hospitals




Restaurants




Airport



Shops



Banks



Hotels




Companies



Housing



Fitness Room



Resort



Exhibition hall




Museums






**E)Safewire optional of economical package :**



**Installation Guide :**



(6)

1. Before installation, please opening pore on the table-board which is asked to install according to related product specification.(unit:mm)
- 2.Load the function key panel into a base box.
- 3.Secure the panel and bottom box
- 4.Secure the surrounding bottom box with eight screws
- 5.Place the product in a pre-opened table top

**Attentions:**

- 1.Use only in normal temperature.Do not expose to conditions that harm to the product's safety,such as humidity,dusty and corrosives.
- 2.Properly connecting and installing according to the rated voltage ,frequency,rated current and function identification of the product
3. All dimension quoted are nominal only. Drawings , images and text are for illustrative purposes only and product details and dimension are subject to change without notice.

**Safety Warning:**

- 1)This is a class I product and must be earthed.
- 2)This product must be installed/wired by a qualified electrician.
- 3)before installation/maintenance ,ensure the mains supply is switched off and the circuit fuses are removed or circuit breakers switch off.
- 4)For indoor use only.