



Wenzhou Safewire Electric Co.,Ltd.  
2nd floor, Wealth Garden, Liushi town, Yueqing, Wenzhou,China ,325604

---

Wenzhou Safewire Electric CO.,Ltd.

## SPECIFICATION SHEET

**PRODUCT NAME:** Metal Housing Distribution Box

**PRODUCT No. :** LYB1-9



Address:2nd floor, Wealth Garden, Liushi town, Yueqing, Wenzhou,China ,325604

Tel:0086-577-61725369

Mob:0086-18612380398

ZIP:325604


(E-mail) : [info@safewirele.com](mailto:info@safewirele.com)

(WEB): <http://www.safewirele.com>

**Technical parameters :**

Serial No.	Parameter	Description
1	Model Number	LYB1-9
2	Specification	4
3	Type	Distribution Box
4	Cover dimension(mm)	141*160*90
5	Box dimension(mm)	120*143*75
6	ROWS	1
7	Function	Junction box
8	Service	OEM ODM
9	Certificate	ISO9001,ISO14001,OHSAS18001
10	Fittings	Screw fixation
11	Color	White/BLACK
12	COVER Material	PC plastic
13	BOX Material	metal
14	Standards	GB17466.1, GB17466.24
15	HS Code	8537109090

**Product Show:**





It is applicable for construction, decoration engineering distribution box used in the concealed installation mode.

**Features:**

1. Pz30 terminal combination is suitable for single phase or three phase terminal line with rated operating voltage AC380V or AC220V and maximum rated operating current 100A Rated,
2. as the control of electrical equipment, it is an integrated device that protects against overload, short-circuit, leakage of electricity .
3. It can be widely used in high-rise buildings, hotels, houses, stations, ports and airports, hospitals, theaters, large commercial outlets and industrial and mining enterprises, etc.

**Dimension:**



Wenzhou Safewire Electric Co.,Ltd.  
2nd floor, Wealth Garden, Liushi town, Yueqing, Wenzhou,China ,325604

P/N	Rows	Specification	Cover dimension(mm)	Box dimension(mm)
LYB1-9	1	9	240x200x105	217x180x85
LYB1-12	1	12	295x200x105	270x180x85
LYB1-16	1	16	366x240x105	340x220x85
LYB1-20	1	20	438x240x105	412x220x85
LYB1-24	2	24	295x400x105	270x380x85
LYB1-32	2	32	295x600x105	270x580x85
LYB1-40	2	40	438x480x105	412x460x85
LYB1-48	3	48	366x720x105	340x700x85
LYB1-60	3	60	438x720x105	412x700x85