

Wenzhou Safewire Electric CO.,Ltd.

SPECIFICATION SHEET

PRODUCT NAME: Metal Housing Distribution Box

PRODUCT No. : LYB4-4



Address:2nd floor, Wealth Garden, Liushi town, Yueqing, Wenzhou,China ,325604

Tel:0086-577-61725369

Mob:0086-18612380398

ZIP:325604

(E-mail) : info@safewirele.com

(WEB): <http://www.safewirele.com>

Technical parameters :

Serial No.	Parameter	Description
1	Model Number	LYB4-4
2	Specification	4
3	Type	Distribution Box
4	Cover dimension(mm)	150*170*110
5	Box dimension(mm)	130*150*95
6	ROWS	1
7	Function	Junction box
8	Service	OEM ODM
9	Certificate	ISO9001,ISO14001,OHSAS18001
10	Fittings	Screw fixation
11	Color	White
12	COVER Material	PC plastic
13	BOX Material	metal
14	Standards	GB17466.1, GB17466.24
15	HS Code	8537109090

Product Show:





It is applicable for construction, decoration engineering distribution box used in the concealed installation mode.

Features:

1. Pz30 terminal combination is suitable for single phase or three phase terminal line with rated operating voltage AC380V or AC220V and maximum rated operating current 100A Rated,
2. as the control of electrical equipment, it is an integrated device that protects against overload, short-circuit, leakage of electricity .
3. It can be widely used in high-rise buildings, hotels, houses, stations, ports and airports, hospitals, theaters, large commercial outlets and industrial and mining enterprises, etc.

Dimension:



Wenzhou Safewire Electric Co.,Ltd.
2nd floor, Wealth Garden, Liushi town, Yueqing, Wenzhou,China ,325604

P/N	Rows	Specification	Cover dimension(mm)	Box dimension(mm)
LYB4-4	1	4	150x170x110	130x150x95
LYB4-6	1	6	193x220x110	173x200x95
LYB4-8	1	8	240x220x110	220x200x95
LYB4-10	1	10	286x240x110	263x220x95
LYB4-12	1	12	320x240x110	300x220x95
LYB4-15	1	15	374x240x110	354x220x95
LYB4-18	1	18	428x240x110	408x220x95
LYB4-20	1	20	464x240x110	444x220x95
LYB4-24	1	24	536x240x110	516x220x95
LYB4-24	2	24	320x480x110	300x460x95
LYB4-30	2	30	374x480x110	354x460x95
LYB4-36	2	36	428x480x110	408x460x95
LYB4-40	2	40	464x480x110	444x460x95
LYB4-45	3	45	374x680x110	354x660x95
LYB4-54	3	54	428x680x110	408x660x95
LYB4-60	3	60	464x680x110	444x660x95