

Wenzhou Safewire Electric CO., Ltd.

SPECIFICATION SHEET

PRODUCT NAME: Metal Housing Distribution Box

PRODUCT No. : **LYB5-9**





Address: 2nd floor, Wealth Garden, Liushi town, Yueqing, Wenzhou, China, 325604

Tel:0086-577-61725369 Mob:0086-18612380398

ZIP:325604

(E-mail): info@safewirele.com (WEB): http://www.safewirele.com



Technical parameters:

Serial No.	Parameter	Description	
1	Model Number	LYB5-9	
2	Specification	9	
3	Туре	Distribution Box	
4	Cover dimension(mm)	240*200*95	
5	Box dimension(mm)	217*180*75	
6	ROWS	1	
7	Function	Junction box	
8	Service	OEM ODM	
9	Certificate	ISO9001,ISO14001,OHSAS18001	
10	Fittings	Screw fixation	
11	Color	White	
12	COVER Material	PC plastic	
13	BOX Material	metal	
14	Standards	GB17466.1, GB17466.24	
15	HS Code	8537109090	

Product Show:





2nd floor, Wealth Garden, Liushi town, Yueqing, Wenzhou, China , 325604



It is applicable for construction, decoration engineering distribution box used in the concealed installation mode.

Features:

- 1. Pz30 terminal combination is suitable for single phase or three phase terminal line with rated operating voltage AC380V or AC220V and maximum rated operating current 100A Rated,
- 2. as the control of electrical equipment, it is an integrated device that protects against overload, short-circuit, leakage of electricity.
- 3. It can be widely used in high-rise buildings, hotels, houses, stations, ports and airports, hospitals, theaters, large commercial outlets and industrial and mining enterprises, etc.

Dimension:



$Wenzhou\ Safewire\ Electric\ Co., Ltd.$ 2nd floor, Wealth Garden, Liushi town, Yueqing, Wenzhou, China ,325604

P/N	Rows	Specification	Cover dimension(mm)	Box dimension(mm)
LYB5-9	1	9	240x200x95	217x180x75
LYB5-12	1	12	295x230x95	270x210x75
LYB5-16	1	16	366x230x95	340x210x75
LYB5-20	1	20	438x230x95	413x210x75
LYB5-24	2	24	295x460x95	270x440x75
LYB5-32	2	32	366x460x95	340x440x75
LYB5-36	3	36	295x690x95	270x670x75
LYB5-40	2	40	438x460x95	413x440x75
LYB5-48	3	48	366x690x95	340x670x75
LYB5-60	3	60	438x690x95	413x670x75