




Wenzhou Safewire Electric Co.,Ltd.
2nd floor, Wealth Garden, Liushi town, Yueqing, Wenzhou,China ,325604

Wenzhou Safewire Electric CO.,Ltd.

SPECIFICATION SHEET

PRODUCT NAME: Metal Housing Distribution Box

PRODUCT No. : LYM1-12



Address:2nd floor, Wealth Garden, Liushi town, Yueqing, Wenzhou,China ,325604

Tel:0086-577-61725369

Mob:0086-18612380398

ZIP:325604

(E-mail) : info@safewirele.com

(WEB): <http://www.safewirele.com>

Technical parameters :

Serial No.	Parameter	Description
1	Model Number	LYM1-12
2	Specification	12
3	Type	Distribution Box
4	Cover dimension(mm)	294*210*95
5	Box dimension(mm)	268*190*75
6	Function	Junction box
7	Service	OEM ODM
8	Certificate	ISO9001,ISO14001,OHSAS18001
9	Fittings	Screw fixation
10	Color	White/gray/brown
11	COVER Material	PC plastic
12	BOX Material	metal
13	Standards	GB17466.1, GB17466.24
14	HS Code	8537109090

Product Show:





It is applicable for construction, decoration engineering distribution box used in the concealed installation mode.

Features:

1. Pz30 terminal combination is suitable for single phase or three phase terminal line with rated operating voltage AC380V or AC220V and maximum rated operating current 100A Rated,
2. as the control of electrical equipment, it is an integrated device that protects against overload, short-circuit, leakage of electricity .
3. It can be widely used in high-rise buildings, hotels, houses, stations, ports and airports, hospitals, theaters, large commercial outlets and industrial and mining enterprises, etc.

Dimension:



Wenzhou Safewire Electric Co.,Ltd.
2nd floor, Wealth Garden, Liushi town, Yueqing, Wenzhou,China ,325604

P/N	Specification	Cover dimension(mm)	Box dimension(mm)
LYM1-12	12	294x210x95	268x190x75
LYM1-16	16	366x210x95	340x190x75
LYM1-20	20	438x210x95	412x190x75
LYM1-24	24	268x315x95	268x315x75
LYM1-32	32	366x420x95	340x360x75
LYM1-40	40	438x420x95	412x360x75
LYM1-48	48	366x630x95	340x550x75
LYM1-60	60	438x630x95	412x550x75
LYM1-16D	16	366x230x95	340x210x75
LYM1-20D	20	438x230x95	412x210x75