



# Accessories




## 01 More Categories





Modules



Panels



Frames



Bottom boxes



Connector

## 02 Customization



Material



Size



Parts



Colour



Configuration




Packing

Different solutions can be customized for smart home, network wiring and electrician customers;

## 03 International

45x45mm series

45



128 type series

128




Bs1363 86/146 type module socket

86



5V 4.2A USB charger, HDMI, Cat6, RCA, and so on



## 1.45\*45mm Modules



## 2.Video & Audio modules



## 3.Multimedia Modules



## 4.Connector With Cable



## 5. Waterproof Sockets




## 6. Switch Socket & Socket Glass



## 7. Splash Box




## 8. Frame, Box, Faceplate, Accessories







## 45×45mm Module




“Snap-in” design:



More optional color:



Easy-Wiring:






## 1.45\*45mm Modules

### Features

1.Applicable for wiring of Distribution box ,wall switch,floorbox and electrical socket etc.



2.More optional color.



3.Easy wiring,toolless installation,save cost!




## Advantage


1.Full range power socket + Switch+Data+USB charger+Multimedia modules etc.



2.More color with affordable MOQ.



3.CE Certificated and supply with support,frame and coverplate accessories etc.



Floor Socket and Desktop socket with optional 45\*45mm modules

### Floor Socket



F1



F11B



F22



F15B




F16



F81

### Floor Socket



F20



F8



F16C



F15C



F21



F8D



F82

### Wall socket



F16C



F15C



SAF-01




SAF-02




## 45×45mm Series Modules

### Product mix


#### 1 way




#### 2 way



#### 3 way



#### 4 way



**Modules/Waterproof Box Electric Accessories**

| Product Picture                                                                            | Size      | Description                                                                                                     | Color       | Product Picture                                                                             | Size      | Description                                                                                      | Color       |
|--------------------------------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------------------------------------------|-------------|---------------------------------------------------------------------------------------------|-----------|--------------------------------------------------------------------------------------------------|-------------|
| <br>F1    | 22.5x45mm | Europeab-American socket, Brazil NEMA5-15R & CEE 7-16 Outlet 16A-250V & 15A-127V, 2P+E                          | white/black | <br>F2     | 22.5x45mm | 2 pin socket, 10A, 250V; 2P                                                                      | white/black |
| <br>F2C   | 45×22.5MM | US 15A socket                                                                                                   | white/black | <br>F3A    | 45x45mm   | 3 pin 16A,220V;Australia & New Zealand AS/NZS 3112Outlet 15Amp 250V                              | white/black |
| <br>F3B   | 45x45mm   | 3 pin 10A,220V;Australia & New Zealand AS/NZS 3112 Outlet 10Amp 250V                                            | white/black | <br>F4     | 45x45mm   | International Multi-configuration Outlet 13A~250V & 15A-127V of 90 degree angle, 10A, 250V;2P+E  | white/black |
| <br>F5  | 45x45mm   | Switzerland SEV 1011 Type 13 Outlet, 10A, 250V;2P+E                                                             | white/black | <br>F6   | 45x22.5mm | Italy & Chile CEI16/VII Outlet 16Amp 250V;2P+E                                                   | white/black |
| <br>F7  | 45x45mm   | Danish socket, 16A, 250V                                                                                        | white       | <br>F10  | 45x45mm   | Israel socket, 16A, 250V                                                                         | white       |
| <br>F11 | 45x45mm   | United Kingdom BS1363A shuttered Outlet 13Amp 250V ,90 degree;2P+E                                              | white/black | <br>F11B | 45x45mm   | United Kingdom BS1363A shuttered Outlet 13Amp 250V , 45 degree;2P+E                              | white/black |
| <br>F15 | 45x45mm   | European socket(Schuko), 16A, 250V , Angle 0 degree or 90 degree, 2P+E with shutter socket,screw terminals;2P+E | white/black | <br>F15B | 45x45mm   | European socket(Schuko), 16A, 250V , Angle 45 degree , 2P+E with shutter socket,screw terminals; | white/black |

**Modules/Waterproof Box Electric Accessories**

| Product Picture                                                                            | Size      | Description                                                                                                                       | Color           | Product Picture                                                                             | Size        | Description                                                                                                     | Color           |
|--------------------------------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------------------------------------------------------------------|-------------|-----------------------------------------------------------------------------------------------------------------|-----------------|
| <br>F15C  | 45x45mm   | Pop up German socket, 16A, 250V , Angle 0 degree or 90 degree, 2P+E with shutter socket,screw terminals;2P+E                      | white/<br>black | <br>F15H   | 45x45mm     | Grounding German socket, 16A, 250V , Angle 0 degree or 90 degree, 2P+E with shutter socket,screw terminals;2P+E | white/<br>black |
| <br>F16   | 45x45mm   | French Socket,16A,250V;2P+E;                                                                                                      | white/<br>black | <br>F16B   | 45x45mm     | French Socket,16A,250V,Angle 45 degree , screwless terminals;2P+E                                               | white/<br>black |
| <br>F16C  | 45x45mm   | Ip44 French Socket,16A,250V, screwless terminals;2P+E; With pop up mechanism protector shutter, 4 side snap-in clip into support. | white/<br>black | <br>F18    | 45x45mm     | Brazil NEMA5-15R & CEE 7-16 Outlet 16A-250V & 15A-127V                                                          | white/<br>black |
| <br>F19  | 45x45mm   | S.Africa/Brazil NBR 14136-2002 Outlet 16Amp 250V(Also support S. Africa , India and UK BS546 5 Amp 250V male plug)                | white/<br>black | <br>F19B  | 45x22.5mm   | S.Africa/Brazil NBR 14136-2002 Outlet 16Amp 250V                                                                | white/<br>black |
| <br>F20 | 45 × 45MM | US 15A socket                                                                                                                     | white/<br>black | <br>F1-2 | 22.5 × 45MM | Thailand 6 pin power socket                                                                                     | white/<br>black |
| <br>F8  | 22.5x45mm | USB Charger 2.1A                                                                                                                  | white/<br>black | <br>F8A  | 22.5x45mm   | USB Charger 1A                                                                                                  | white/<br>black |
| <br>F8D | 22.5x45mm | USB Charger 2.1A                                                                                                                  | white/<br>black | <br>F9   | 45x45mm     | USB charging, dual port output 5VDC 2.1A, maximum charging current 1*2100mA, screw terminal.                    | white/<br>black |
| <br>F8B | 22.5x45mm | Type A+C Charger 2.1A                                                                                                             | white/<br>black | <br>F8C  | 45x45mm     | Type C Charger 2.1A                                                                                             | white/<br>black |

**Modules/Waterproof Box Electric Accessories**

| Product Picture                                                                                   | Size      | Description                                                      | Color        | Product Picture                                                                                 | Size      | Description                                                                                                                             | Color        |
|---------------------------------------------------------------------------------------------------|-----------|------------------------------------------------------------------|--------------|-------------------------------------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------------------------------------------------------------------|--------------|
| <br>F1031        | 45x45mm   | 3.1A USB Charger 2*type A+ type C                                | white/ black | <br>F1042A/A   | 45x45mm   | Dual port type A of 4.2A USB Charger                                                                                                    | white/ black |
| <br>F1042A/C     | 45x45mm   | Dual port type A+type C 4.2A USB Charger                         | white/ black | <br>F1042C/C   | 45x45mm   | Dual port type C of 4.2A USB Charger                                                                                                    | white/ black |
| <br>F1021A-A/A   | 45x45mm   | Dual port type A of 4.2A USB Charger                             | white/ black | <br>F1021A-A/C | 45x45mm   | Dual port type A+C of 2.1A USB Charger                                                                                                  | white/ black |
| <br>F1021AB-A/C | 45x45mm   | Dual port type A+C of 2.1A USB Charger ( with protector shutter) | white/ black | <br>F1020     | 45x45mm   | 20W PD faster USB Charger                                                                                                               | white/ black |
| <br>F1030      | 45x45mm   | 30W PD faster USB Charger                                        | white/ black | <br>F21      | 22.5x45mm | Cat 5e RJ45 socket with shutter;                                                                                                        | white/ black |
| <br>F21B       | 22.5x45mm | Cat 6 RJ45 socket with shutter;                                  | white/ black | <br>F23      | 22.5x45mm | Rj11 Telephone socket with shutter, regular with 4 contact pins. 2 contact pins and 6 contact pins should be customization production.; | white/ black |
| <br>F23B       | 22.5x45mm | 2 gang RJ45 CAT6+RJ11 Telephone socket without shutter           | white/ black | <br>F23C     | 22.5x45mm | 2 gang RJ45 CAT6 without shutter                                                                                                        | white/ black |
| <br>F1060      | 45x90mm   | 60W-100W USB Charger type A + 2*type C                           | white/ black |                                                                                                 |           |                                                                                                                                         |              |



**Modules/Waterproof Box Electric Accessories**

| Product Picture                                                                               | Size      | Description                                              | Color       | Product Picture                                                                               | Size      | Description                                              | Color       |
|-----------------------------------------------------------------------------------------------|-----------|----------------------------------------------------------|-------------|-----------------------------------------------------------------------------------------------|-----------|----------------------------------------------------------|-------------|
| <br>F22      | 22.5×45MM | Rj45 UTP Cat5E toolless with shutter Shield / unshield   | white/black | <br>F22B     | 22.5×45MM | Rj45 UTP Cat6 toolless with shutter Shield / unshield    | white/black |
| <br>F22C     | 22.5×45MM | Rj45 STP Cat6A toolless with shutter Shield / unshield   | white/black | <br>F22-2    | 45×45MM   | RJ45 UTP Cat5E toolless with shutter                     | white/black |
| <br>F22B-2   | 45×45MM   | RJ45 UTP Cat6 toolless with shutter                      | white/black | <br>F22-3    | 45×45MM   | Rj45 UTP Cat5E toolless 2 port with shutter              | white/black |
| <br>F22B-3 | 45×45MM   | RJ45 UTP Cat6 toolless 2 port with shutter               | white/black | <br>F50    | 22.5x45mm | Single male TV socket;                                   | white/black |
| <br>F50B-F | 22.5x45mm | Single Female TV socket;                                 | white/black | <br>F50B-M | 22.5x45mm | Single male TV socket;                                   | white/black |
| <br>F51    | 22.5x45mm | BNC socket                                               | white/black | <br>F52    | 22.5x45mm | Φ3.5 earphone for audio/video connector, screw terminals | white/black |
| <br>F52A   | 22.5x45mm | Φ3.5 earphone for audio/video connector, screw terminals | white/black | <br>F52B   | 22.5x45mm | Φ3.5 earphone for audio/video connector, Solderless      | white/black |

**Modules/Waterproof Box Electric Accessories**

| Product Picture                                                                              | Size      | Description                                                                                                                                                                  | Color       | Product Picture                                                                              | Size      | Description                                                                                                                                                                  | Color       |
|----------------------------------------------------------------------------------------------|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|----------------------------------------------------------------------------------------------|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| <br>F52C    | 22.5x45mm | Φ3.5 earphone for audio/video connector, straight blade;                                                                                                                     | white/black | <br>F52D    | 22.5x45mm | Φ3.5 earphone for audio/video connector, with cable                                                                                                                          | white/black |
| <br>F53     | 22.5x45mm | DIN(eight pins)                                                                                                                                                              | white/black | <br>F55     | 22.5x45mm | Audio socket provide the stereo audio connect for device such as DVD drive, camera etc.;                                                                                     | white/black |
| <br>F56     | 22.5x45mm | Video socket provide the video connect for device such as DVD drive, camera etc.;                                                                                            | white/black | <br>F57     | 22.5x45mm | RCA composite video & stereo audio, 1G-Y/GND and 1-Yellow for Composite video, 2G-W/GND and 2-White for Left Audio, 3G-R/GND and 3-Red for Right Audio                       | white/black |
| <br>F57-A | 22.5x45mm | RCA composite video & stereo audio, 1G-Y/GND and 1-Yellow for Composite video, 2G-W/GND and 2-White for Left Audio, 3G-R/GND and 3-Red for Right Audio; Solder type;         | white/black | <br>F57-B | 22.5x45mm | RCA composite video & stereo audio, 1G-Y/GND and 1-Yellow for Composite video, 2G-W/GND and 2-White for Left Audio, 3G-R/GND and 3-Red for Right Audio; soldless/screw type; | white/black |
| <br>F57-C | 22.5x45mm | RCA composite video & stereo audio, 1G-Y/GND and 1-Yellow for Composite video, 2G-W/GND and 2-White for Left Audio, 3G-R/GND and 3-Red for Right Audio; straight blade type; | white/black | <br>F58   | 22.5x45mm | Sound socket provide the stereo audio connect for device such as DVD drive, camera etc.;                                                                                     | white/black |
| <br>F59   | 22.5x45mm | USB for data 2.0, USB to USB, VBus, D+, Ground, shielded                                                                                                                     | white/black | <br>F61   | 22.5x45mm | Composite video, Left Audio and Right Audio, RJ45 to RCA.                                                                                                                    | white/black |
| <br>F60-A | 22.5x45mm | Male Kalon socket for XLR plug, soldering connection,                                                                                                                        | white/black | <br>F60-B | 22.5x45mm | Male Kalon socket for XLR plug, Screwing connection,                                                                                                                         | white/black |

**Modules/Waterproof Box Electric Accessories**

| Product Picture                                                                             | Size      | Description                                                                                             | Color           | Product Picture                                                                             | Size      | Description                                                                                            | Color           |
|---------------------------------------------------------------------------------------------|-----------|---------------------------------------------------------------------------------------------------------|-----------------|---------------------------------------------------------------------------------------------|-----------|--------------------------------------------------------------------------------------------------------|-----------------|
| <br>F62B   | 22.5x45mm | Speaker socket, Screwing connection;                                                                    | white/<br>black | <br>F62A   | 22.5x45mm | Speaker socket, soldering connection;                                                                  | white/<br>black |
| <br>F65A   | 22.5x45mm | 15 Pins VGA (male type), RS232 socket, soldering connection                                             | white/<br>black | <br>F65B   | 22.5x45mm | 15 Pins VGA (male type), RS232 socket, screwing connection                                             | white/<br>black |
| <br>F66A   | 22.5x45mm | 15 Pins VGA (female type); RS232 socket, soldering connection                                           | white/<br>black | <br>F66B   | 22.5x45mm | 15 Pins VGA (female type); RS232 socket, soldering connection                                          | white/<br>black |
| <br>F67A | 22.5x45mm | 9 Pins VGA (male type), RS232 socket, soldering connection                                              | white/<br>black | <br>F67B | 22.5x45mm | 9 Pins VGA (male type), RS232 socket, screwing connection                                              | white/<br>black |
| <br>F68A | 22.5x45mm | 9 Pins VGA (female type); RS232 socket, soldering connection                                            | white/<br>black | <br>F68B | 22.5x45mm | 9 Pins VGA (female type); RS232 socket, screwing connection                                            | white/<br>black |
| <br>F69A | 22.5x45mm | HDMI, 180 degree, 2.0 Standard female/female HDMI socket with protective shutter                        | white/<br>black | <br>F69B | 22.5x45mm | HDMI, 90 degree, Male HDMI socket, need additional frame size: 45*45mm when installed in SNAP-in frame | white/<br>black |
| <br>F69C | 45x45mm   | HDMI, 180 degree, Male HDMI socket, need additional frame size: 45*45mm when installed in SNAP-in frame | white/<br>black | <br>F70  | 22.5x45mm | Empty plate; material: Polycarbonate; color: white                                                     | white/<br>black |

**Modules/Waterproof Box Electric Accessories**

| Product Picture                                                                              | Size      | Description                                                                         | Color           | Product Picture                                                                               | Size      | Description                                                                   | Color           |
|----------------------------------------------------------------------------------------------|-----------|-------------------------------------------------------------------------------------|-----------------|-----------------------------------------------------------------------------------------------|-----------|-------------------------------------------------------------------------------|-----------------|
| <br>F71     | 22.5x45mm | S terminal;soldering connection                                                     | white/<br>black | <br>F80      | 45x22.5mm | 1 way switch, 10A, 250V                                                       | white/<br>black |
| <br>F80-2   | 45x45mm   | Empty plate;<br>material: Polycarbonate;                                            | white/<br>black | <br>F81      | 45x22.5mm | 1 way curve switch, 10A, 250V                                                 | white/<br>black |
| <br>F83    | 45x45mm   | 2 way switch, 10A, 250V                                                             | white/<br>black | <br>F82     | 45x45mm   | 2 way switch, 10A, 250V                                                       | white/<br>black |
| <br>F85   | 45x45mm   | Single switch, 16A, 250V,<br>nylon 66, PC coverplate                                | white/<br>black | <br>F84    | 45x45mm   | 2 gang/Double Pole Switch<br>16 Amp 250V,nylon 66,<br>PC coverplate           | white/<br>black |
| <br>F100B | 45x45mm   | 2 gang 45*45mm modules with<br>optional 1*RJ45 +1*RJ11 for<br>patch panel/floor box | white/<br>black | <br>F100A  | 45x45mm   | 2 gang 45*45mm modules with<br>optional 2 *RJ45 for patch panel<br>/floor box | white/<br>black |
| <br>F100C | 45x45mm   | 2 gang 45*45mm modules with<br>optional 2*RJ11 for patch<br>panel/floor box         | white/<br>black | <br>F-QB53 | 45x45mm   | Acousto-Optic Delay Switch                                                    | white/<br>black |

**LED 45 module**




**Basic information**

| Product Picture                                                                           | Size    | Description | Color                                       |
|-------------------------------------------------------------------------------------------|---------|-------------|---------------------------------------------|
| <br>F200 | 45x45mm | LED         | white<br>blue<br>yellow<br>purple<br>orange |

**Product display**



**Color classification**






**Modules/Waterproof Box Electric Accessories**



| Picture | Item      | Specification                                                                                                     | Outline of product             |
|---------|-----------|-------------------------------------------------------------------------------------------------------------------|--------------------------------|
|         | F15B-1    | Color customization single European Schuko Socket without key,more optional color choice, 45 degree for plug easy | 16A,250V,2P+E,screw terminals; |
|         | F15B-2    | Color customization double European Schuko Socket without key,more optional color choice, 45 degree for plug easy | 16A,250V,2P+E,screw terminals; |
|         | F15B-3    | Color customization triple European Schuko Socket without key,more optional color choice, 45 degree for plug easy | 16A,250V,2P+E,screw terminals; |
|         | F16B-1    | Color customization single French Socket without key, white color                                                 | 16A,250V,2P+E,screw terminals; |
|         | F16B-2    | Color customization double French Socket without key, white color                                                 | 16A,250V,2P+E,screw terminals; |
|         | F16B-3    | Color customization triple French Socket without key, white color                                                 | 16A,250V,2P+E,screw terminals; |
|         | SAQB-45-1 | Color customization single French Socket with prtector shutter key,red color;2P+E Tamper proof insert             | 16A,250V,2P+E,screw terminals; |
|         | SAQB-45-2 | Color customization double French Socket with prtector shutter key,red color;2P+E Tamper proof insert             | 16A,250V,2P+E,screw terminals; |
|         | SAQB-45-3 | Color customization triple French Socket with prtector shutter key,red color;2P+E Tamper proof insert             | 16A,250V,2P+E,screw terminals; |



## 2.Video & Audio modules

### Feature


1.Full range LAN ,HDMI,Audio,Acoustics,XLR/Canon,Dimmer module etc.

| LAN                                                                                          | HDMI                                                                                           | Audio                                                                                           | Acoustics                                                                                       | XLR/Canon                                                                                         |
|----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <br>CD-2-1 | <br>CD-6-1B  | <br>CD-7-1A   | <br>CD-18-A  | <br>CD-20-1A  |
| <br>CD-3  | <br>CD-6-1D | <br>CD-14-1A | <br>CD-18-B | <br>CD-20-2A |
|                                                                                              |                                                                                                | <br>CD-14-1B | <br>CD-19-A | <br>CD-20-5  |
|                                                                                              |                                                                                                |                                                                                                 | <br>CD-19-B |                                                                                                   |

2.Package Shopping : modules/socket+adaptor/connector+cable/accessories.



## 1.Video & Audio Modules

| Product Picture                                                                                 | Size    | Description                                 | Color           | Product Picture                                                                                 | Size    | Description             | Color           |
|-------------------------------------------------------------------------------------------------|---------|---------------------------------------------|-----------------|-------------------------------------------------------------------------------------------------|---------|-------------------------|-----------------|
| <br>CD-7-1A    | 23*36mm | RCA(Audio/Video) Solderless                 | white/<br>black | <br>CD-8-1A    | 23*36mm | Audio solderless        | white/<br>black |
| <br>CD-9-1A    | 23*36mm | Video solderless                            | white/<br>black | <br>CD-10-1A   | 23*36mm | Microphone solderless   | white/<br>black |
| <br>CD-11-1A   | 23*36mm | 3.5 earphone solderless &<br>straight blade | white/<br>black | <br>CD-12      | 23*36mm | TV socket               | white/<br>black |
| <br>CD-13    | 23*36mm | F socket                                    | white/<br>black | <br>CD-14-1A | 23*36mm | LC Optical fiber        | white/<br>black |
| <br>CD-14-1B | 23*36mm | SC Optical fiber                            | white/<br>black | <br>CD-14-1C | 23*36mm | FC optical fiber        | white/<br>black |
| <br>CD-15    | 23*36mm | DC outlet                                   | white/<br>black | <br>CD-15    | 23*36mm | BNC Monitoring          | white/<br>black |
| <br>CD-17-1A | 23*36mm | 8 Pin Female microphone                     | white/<br>black | <br>CD-17-2A | 23*36mm | 6 Pin Female microphone | white/<br>black |

**Modules/Waterproof Box Electric Accessories**


| Product Picture                                                                               | Size    | Description         | Color           |
|-----------------------------------------------------------------------------------------------|---------|---------------------|-----------------|
| <br>CD-18-A  | 23*36mm | Acoustics male      | white/<br>black |
| <br>CD-19-A  | 23*36mm | DVI Solder          | white/<br>black |
| <br>CD-20-2A | 23*36mm | DM Female XLR/Canon | white/<br>black |


| Product Picture                                                                              | Size    | Description      | Color           |
|----------------------------------------------------------------------------------------------|---------|------------------|-----------------|
| <br>CD-18-B | 23*36mm | Acoustics Female | white/<br>black |



|                                                                                                 |         |                                            |                 |
|-------------------------------------------------------------------------------------------------|---------|--------------------------------------------|-----------------|
| <br>CD-20-5  | 23*36mm | Duale Female XLR/Canon<br>/Dual microphone | white/<br>black |
| <br>CD-20-1A | 23*36mm | Male XLR/Canon solderless                  | white/<br>black |
| <br>CD-20-2B | 23*36mm | DM Female XLR/Canon                        | white/<br>black |

|                                                                                                 |         |                           |                 |
|-------------------------------------------------------------------------------------------------|---------|---------------------------|-----------------|
| <br>CD-20-1A | 23*36mm | Male XLR/Canon solderless | white/<br>black |
| <br>CD-20-2B | 23*36mm | DM Female XLR/Canon       | white/<br>black |







### 3.Multimedia Modules

#### Advantage

1.More applicable in Safewire's pop up desktop socket , PDU (power distribution box ) etc. and power distribution box.



2.Categories of Safewire's Multi media & keystone modules :






## 1.Multimedia Modules

| Product Picture/Item                                                                                   | Specification                                                                                                                  | Color            | Product Picture/Item                                                                                   | Specification                                                                                                                                                                                                                                | Color            |
|--------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------|--------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| <br>M-DMT-DB9-F/F     | 45*22.5mm with 9 pins,180°degree of M/F or F/F VGA modules from High grade fireproof PC material panel                         | Grey /Milk white | <br>M-DMT-VGA-M/F     | 45*22.5mm with 15 pins,180°degree of M/F or F/F VGA modules from High grade fireproof PC material panel                                                                                                                                      | Grey /Milk white |
| <br>M-DMT-TV-M        | 45*22.5mm Male socket modules from High grade fireproof PC material panel                                                      | Grey /Milk white | <br>M-DMT-TV-F        | 45*22.5mm Female socket modules from High grade fireproof PC material panel                                                                                                                                                                  | Grey /Milk white |
| <br>M-DMT-2XBANANA-F  | 45*22.5mm Solder type Dual female BANANA socket modules from High grade fireproof PC material panel                            | Grey /Milk white | <br>M-DMT-BANANA-F    | 45*22.5mm Solder type Single female BANANA socket modules from High grade fireproof PC material panel                                                                                                                                        | Grey /Milk white |
| <br>M-DMT-3.5 Audio | 45*22.5mm Solder type 3.5 Audio jack socket modules from High grade fireproof PC material panel                                | Grey /Milk white | <br>M-DMT-BNC-F-F   | 45*22.5mm Solder type female BNC socket modules from High grade fireproof PC material panel                                                                                                                                                  | Grey /Milk white |
| <br>M-DMT-RCA-2     | 45*22.5mm Solder type RCA Stereo audio in white and red color jack socket modules from High grade fireproof PC material panel; | Grey /Milk white | <br>M-DMT-RCA-1     | 45*22.5mm Solder type RCA red color Audio jack socket modules from High grade fireproof PC material panel;This RCA audio connector is pure copper with gold plating and anti-oxidation; Female F equipment Jacks to an RCA female connection | Grey /Milk white |
| <br>M-DMT-1RCA-RJ45 | 45*22.5mm Solder type RCA red color Audio with RJ45 Jack socket modules from High grade fireproof PC material panel;           | Grey /Milk white | <br>M-DMT-RCA-3     | 45*22.5mm Solder type composite video (1 x RCA female yellow) and for stereo audio (2 x RCA female white and red)jack socket modules ;from High grade fireproof PC material panel;                                                           | Grey /Milk white |
| <br>M-DMT-2RCA-RJ45 | 45*22.5mm Solder type RCA red color Audio with RJ45 Jack socket modules from High grade fireproof PC material panel;           | Grey /Milk white | <br>M-DMT-3RCA-RJ45 | 45*22.5mm Solder type composite video (1 x RCA female yellow) and for stereo audio (2 x RCA female white and red) with RJ45 jack socket modules;from High grade fireproof PC material panel;                                                 | Grey /Milk white |





**Modules/Waterproof Box Electric Accessories**

| Product Picture/Item                                                                                    | Specification                                                                                                                                                                   | Color            | Product Picture/Item                                                                                   | Specification                                                                                                                                                      | Color            |
|---------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|--------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| <br>M-DMT-USB2.0-AF    | 45*22.5mm Solder type USB 2.0 type A Female connector modules from High grade fireproof PC material panel; Join two USB 2.0 Type-A Male connectors with this coupler connector. | Grey /Milk white | <br>M-DMT-USB2.0 A    | 45*22.5mm Solder type USB 2.0 type A Female connector modules from High grade fireproof PC material panel; USB 2.0A with terminal                                  | Grey /Milk white |
| <br>M-DMT-USB2.0A-RJ45 | 45*22.5mm Solder type USB 2.0 type A Female connector modules from High grade fireproof PC material panel; USB 2.0A with RJ45                                                   | Grey /Milk white | <br>M-DMT-USB3.0A     | 45*22.5mm Solder type USB 3.0 type A Female connector modules from High grade fireproof PC material panel; USB 3.0A with terminal                                  | Grey /Milk white |
| <br>M-DMT-HDMI         | 45*22.5mm Solder type HDMI female connector modules from High grade fireproof PC material panel; HDMI with terminal                                                             | Grey /Milk white | <br>M-DMT-PHJ         | 45*22.5mm Solder type HDMI female connector modules from High grade fireproof PC material panel; HDMI with terminal                                                | Grey /Milk white |
| <br>SCAT6A-WP-W/B    | 1)IP67<br>2)D type RJ45 six kinds of waterproof socket.<br>3)Materia of shield : PA6BG33<br>4)This type of socket: Shielded/ non-shielded optional, the default non-shielded.   | white/ black     | <br>SUSB-3.0-WP-W/B | 1)IP67<br>2)D type USB3.0 waterproof socket.<br>3)Materia of shield : PA6BG33<br>4)This type of socket: Shielded/ non-shielded optional, the default non-shielded. | white/ black     |
| <br>SUSB2.0-WP-W/B   | 1)IP67<br>2)D type USB2.0 waterproof socket.<br>3)Materia of shield : PA6BG33<br>4)Docking type, universal USB interface, plug and play.                                        | white/ black     | <br>STYPEC-WP-W     | 1)IP67<br>2)D Type-C waterproof socket.<br>3)Materia of shield : PA6BG33<br>4)D Type butt Type, universal type-c interface, plug and play.                         | white/ black     |
| <br>SLC-WP-W/B       | 1)IP67<br>2)D LC fiber optic waterproof socket.<br>3)Materia of shield : PA6BG33<br>4)Butt-on, plug and play.                                                                   | white/ black     | <br>SHDMI-WP-W/B    | 1)IP67<br>2)D type HDMI2.0 version waterproof socket.<br>3)Materia of shield : PA6BG33<br>4)Butt-on, universal HDMI interface, plug and play.                      | white/ black     |



## 2. RJ45 Modules

| Product Picture                                                                                     | Size          | Description                                                   | Product Picture                                                                                     | Size          | Description                                                   |
|-----------------------------------------------------------------------------------------------------|---------------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|---------------|---------------------------------------------------------------|
| <br>M-NE-182       | 25*38mm       | unshielded, Krone IDC, RJ45 module                            | <br>M-NE-182A      | 25*38mm       | unshielded, Dual IDC, RJ45 module                             |
| <br>M-NE-88B       | 25*50mm       | unshielded, Krone IDC, RJ45 module                            |                  |               |                                                               |
| <br>M-NE-189A    | 25*50mm       | unshielded, Dual IDC, RJ45 module                             |                                                                                                     |               |                                                               |
| Product Picture                                                                                     | Material      | Description                                                   | Product Picture                                                                                     | Material      | Description                                                   |
| <br>SFHB-7001-C5 | PC,Zinc alloy | Phosphor bronze is plated with gold; clamp 22-26AWG conductor | <br>SFHB-7001-C6 | PC,Zinc alloy | Phosphor bronze is plated with gold, clamp 22-26AWG conductor |
| <br>SFHB-7001-C7 | PC,Zinc alloy | Phosphor bronze is plated with gold; clamp 22-26AWG conductor | <br>SFHB-7001-C8 | PC,Zinc alloy | Phosphor bronze is plated with gold, clamp 22-26AWG conductor |



## 4.Connector With Cables

### Feature

#### 1.One-stop solution.



#### 2.Customized lengths.



#### 3.IP67 waterproof LAN,USB,HDMI with cable.



1. Connector With Cables

| Product Picture/Item                                                                                | Categories                                           | Description                                                                                                                                                               | Color       | Product Picture/Item                                                                                | Categories                      | Description                                                                                                                                                     | Color       |
|-----------------------------------------------------------------------------------------------------|------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----------------------------------------------------------------------------------------------------|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| <br>CD-5-2C        | 22.5*45mm                                            | 20cm 15 Pin Female VGA with cable                                                                                                                                         | white/black | <br>CD-17-1B       | 22.5*45mm                       | 20cm 8 Pin Female microphone with cable                                                                                                                         | white/black |
| <br>CD-17-2B       | 22.5*45mm                                            | 20cm 6 Pin Female microphone                                                                                                                                              | white/black | <br>CD-1-2D       | 22.5*45mm                       | 2.1 USB 20cm change socket                                                                                                                                      | white/black |
| <br>CD-1-3C        | 22.5*45mm                                            | 20cm USB 3.0 data socket with cable                                                                                                                                       | white/black | <br>CD-6-1C       | 23*36mm                         | HDMI with cable                                                                                                                                                 | white/black |
| <br>H-USB-08-KSB | 90 degree USB adaptor with USB socket and 0.8M cable | 1). Type:USB 2.0A/USB 2.0A;<br>2). Materia of shield:ABS;<br>3). Material of cable: PVC;<br>4).Degree:90;<br>5).Nickel Brass Chrome Adapter;<br>6).0.8M length USB cable; | Black/White |                 |                                 |                                                                                                                                                                 |             |
|                  |                                                      |                                                                                                                                                                           |             | <br>R-NE-68B-KSB | LAN Adaptor and 0.8 M LAN cable | 1).Type:CAT5e,Unshielded ABS plastic RJ45<br>2).Materia of shield:ABS RAL9010;<br>3).Degree:180;<br>4).Plating 50U Contact;<br>5).0.8M length LAN 24 AWG cable; | Black/White |

### 3. Single/Double/Twin switch socket for floor box

| Product Picture/Item                                                                            | Specification                                                            | Materials/Color | Product Picture/Item                                                                                          | Feature                                                                     | Materials/Color |
|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|-----------------|---------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|-----------------|
| <br>HT-86SS    | 13A1 gang switched socket, single pole, 86x86mm dimension                | PC White        | <br>HT-146TS                | 13A 2g ang switched socket, single pole, 86x146mm dimension                 | PC White        |
| <br>SCF-SSS    | 13A 2g ang switched socket, single pole for floor box                    | PC White        | <br>SM-F21-2                | Single gang bevelled faceplate with P44 CE certificate pop up French socket | PC White        |
| <br>SM-F21-1 | Single gang flat faceplate with IP44 CE certificate pop up French socket | PC White        | SCF-SSS product case<br> |                                                                             |                 |
| <br>SM-F22-1 | Single gang flat faceplate with IP44 CE certificate pop up German socket | PC White        | <br>SM-F22-2              | Single gang bevelled faceplate with P44 CE certificate pop up German socket | PC White        |



## GLASS PANEL SOCKET MAIN TECHNICAL PARAMETERS

Product color: White

Product size: 80\*80\*38mm

Product material: Flame retardant PC+  
tempered glass

Wiring mode: zero firewire, single firewire,  
single zero firewire universal

Working voltage: AC110-AC220V ~ /50Hz/60Hz

Working current: 10A (resistive load)



1 way panel



1way jack



2 way panel



1 way panel and 1 way Jack



2way jack



3 way panel



2 way panel and 1 way Jack



1 way panel and 2 way Jack




3 way jack




National standard five holes



2-bit USB




UK standard



Normal standard



European standard



American standard





Indian standard



Black glass panel for Intelligent control





## 8.Frame,Box,Faceplate,Accessories

### Feature

1.Supply with one-stop shopping of RJ45 network box & switch socket box .



J-NE-200

**LAN  
BOX**



J-NE-54

**LAN  
BOX**

**BOX**



B-8080101

**BOX**



B-8080073


2.Faceplate including 45X45 mm ,50X50 mm ,80X80 mm and 86X86 mm .

|         |                                                                                                  |                                                                                                  |                                                                                                  |                                                                                                  |         |                                                                                                    |                                                                                                    |                                                                                                     |
|---------|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|---------|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| 45x45mm | <br>F-8081106 | <br>F-8075164 | <br>F-8075163 | <br>F-6117079 | 86x86mm | <br>F-8081028 | <br>F-8081072 | <br>HB86M1-1/2 |
| 50x50mm | <br>F-8081004 | <br>F-8081003 | <br>F-8081107 |                                                                                                  |         | <br>HB86M2    |                                                                                                    |                                                                                                     |
| 80x80mm | <br>F-8081045 | <br>F-8081044 |                                                                                                  |                                                                                                  |         |                                                                                                    |                                                                                                    |                                                                                                     |



**Modules/Waterproof Box Electric Accessories**

| Product Picture/Item                                                                                                                                                                                                                                                             | Description                                                             | Materials     | Product Picture/Item                                                                                                                                                                                                                                                                                                                                              | Description                                                         | Materials     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|---------------|
| <br><br><br><b>HB86M1-1/2</b> | <b>86*90mm</b> Black/Gold/White color<br>Single/Dual port Datafaceplate | Polycarbonate | <br><br><br><br><b>HB86M2</b> | <b>86*90mm</b> Black/Gold/White color<br>1/2/3/4 port Datafaceplate | Polycarbonate |

**Frame support**

| Product Picture                                                                     | Item          | Catagories | Description                  | Color |
|-------------------------------------------------------------------------------------|---------------|------------|------------------------------|-------|
|  | <b>SAF-01</b> | 75x75mm    | 2 ways 45x45mm modules frame | Black |
|  | <b>SAF-02</b> | 145x74mm   | 5 ways 45x45mm modules frame | Black |
|  | <b>SAF-1A</b> | 60x75mm    | 2 ways 45x45mm modules frame | Black |

Accessory plates for compartment series floor junction box

| S/N | Stainless steel box            | Floorbox with stainless steel box for concrete floor                                                                                                                 | Specification                                                 |
|-----|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|
| 1   | <b>B-H622-C</b><br>For HTD-622 |    | Stainless steel bottom box for concrete floor, 140*180*128mm. |
| 2   | <b>B-H624-C</b><br>For HTD-624 |    | Stainless steel bottom box for concrete floor, 220*252*128mm. |
| 3   | <b>B-H628-C</b><br>For HTD-628 |   | Stainless steel bottom box for concrete floor: 316*218*108mm. |

■ Frame & Faceplate & Bottom


1 Metal bottom box



**HTD-120JH**  
120x 120x60mm



**B-H622-C**  
For HTD-622




**HTD-200JH**  
100x200x55mm




**SLB-86-03**  
86\*86mm modules

**Modules/Waterproof Box Electric Accessories**

| S/N | Model  | Product Pictures                                                                    | Specification                                                                 |
|-----|--------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|
| 1   | SAP01  |    | duplex switch socket of BS 13A<br>(Dimension:250 X 77mm)                      |
| 2   | SAP02  |    | 4 ways Internet data such as telephone and<br>computer(Dimension:250 X 77mm)  |
| 3   | SAP03  |    | Accessory plate for compartment plate<br>without cutout(Dimension:250 X 77mm) |
| 4   | SAP024 |    | 4*Data/telecom plate<br>(37*22mm cut-outs)                                    |
| 5   | SAP025 |    | 6* Data/telecoms plate<br>(37mm X 22mm cut-outs)                              |
| 6   | SAP026 |   | Punched plate for 2*1 gang accessories<br>(60-3mm fixing centres)             |
| 7   | SAP027 |  | 4*Euro, 45*67.5MM module<br>45*67.5mm cut-outs                                |
| 8   | SAP028 |  | Punched plate for 2 gang accessories<br>(120-6mm fixing centres)              |
| 9   | SAP030 |  | Punched plate for 2*2 gang accessories<br>120-6mm+120-6mm fixing centres      |
| 10  | SAP031 |  | 2*86 switch socket +1*146 switch socket<br>2*86mm+1*146mm cut-outs            |
| 11  | SAP032 |  | 4*86*86mm switch socket<br>86*86mm cut-outs                                   |

**Modules/Waterproof Box Electric Accessories**

| S/N | Model  | Product Pictures                                                                    | Specification                                                                   |
|-----|--------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|
| 12  | SAP033 |    | 1* Circuit breaker, 86mm;                                                       |
| 13  | SAP040 |    | 4* Network module for 4 compartment, 58mm,                                      |
| 14  | SAP041 |    | Duplex switch socket of BS 13A,<br>4 compartment, 77mm;                         |
| 15  | SAP050 |    | Duplex switch socket of BS 13A,<br>3 compartment horizontal installation, 86mm; |
| 16  | SAP051 |  | Duplex switch socket of BS 13A,<br>3 compartment, Side mounting; 86mm           |
| 17  | SAP070 |  | 3* Euro telephone/Data power socket<br>45*45mm cut-outs                         |
| 18  | SADF01 |  | 1* 86*86mm switch socket<br>86*86mm cut-outs                                    |
| 19  | SAPJ01 |  | 6 way 45 modules                                                                |
| 20  | SAP071 |  | 45° 4 way 45 modules                                                            |

## 6. Optional RCD

### Aluminum alloy 86 wire drawing panel




S601



S602




S603



S604



S605



S606



S607



S608



S609



S610



SDVI-1



SDVI-2



S601-A



S602-A



S603-A



S604-A



S605-A



S606-A



S607-A



S608-A



S609-A



S610-A



SDVI-1A



SDVI-2A

### Stainless steel 86 panel



S601-T




S602-T




S603-T



S604-T



SDC-145A



SDC-145B