


FZ-VL-002 Units:mm



Wenzhou Safewire Electric CO.,Ltd.

SPECIFICATION SHEET

PRODUCT NAME: Desktop socket

PRODUCT No. : FZ-VL-002





SAFEWIRE

Wenzhou Safewire Electric Co.,Ltd.

2nd floor, Wealth Garden, Liushi town, Yueqing, Wenzhou,China ,325604

Address:2nd floor, Wealth Garden, Liushi town, Yueqing, Wenzhou,China ,325604

Tel:0086-577-61725369

Mob:0086-18612380398

ZIP:325604

(E-mail): info@safewirele.com

(WEB): <http://www.safewirele.com>

Quick Details:

Serial No.	Parameter	Description
1	Safewire item	FZ-VL-002
2	Material	Aluminum 6063, PC zinc alloy
3	Surface finish	Painted/Oxygenated
4	Panel Dimension(mm)	φ136
5	Cutout(mm)	Φ80
6	Dimension of product(mm)	445
7	Capacity of modules /Interface size	16 ways 45*45mm modules
8	Configuration	wireless charger & USB motorisedpop up with USB/bluetooth/outlets
9	Cable length	1.5m, 2m,3m or required length
10	Available modules	45*45mm Type series

Application:



1.Feature of Safewire Cylindrical socket:

1.IP44 Level protector shutter socket

Tel:0086-577-61725369;

Email:info@safewirele.com;

<http://www.safewirele.com>



SAFEWIRE

Wenzhou Safewire Electric Co.,Ltd.

2nd floor, Wealth Garden, Liushi town, Yueqing, Wenzhou,China ,325604



2.45 degree socket, more easy plug into unites.



3.Optional motorised pop up with bluetooth/USB and wireless charge etc.



FZ-VL-001



FZ-527E/W




FZ-527E/U

2. Advantage of Safewire Cylindrical socket :

1.Modular design for configuration of power supply and communication of 45x45mm modules.



2.More optional ϕ 80mm, ϕ 100, ϕ 124mm for grommet hole in furniture.



3.Anodised EV1 Aluminum Brushing wire drawing or black powder-coated

Tel:0086-577-61725369;

Email:info@safewirele.com;

http://www.safewirele.com



SAFEWIRE

Wenzhou Safewire Electric Co.,Ltd.

2nd floor, Wealth Garden, Liushi town, Yueqing, Wenzhou,China ,325604

housing.



FZ-VL-001



FZ-527E/U




FZ-527B

3.Specification of Safewire Cylindrical socket:

A)Product dimension:

FZ-VL-002 Units:mm



B)Available 45×45mm modules/socket/accessories:



C) Safewire Cylindrical socket application in different system:



SAFEWIRE

Wenzhou Safewire Electric Co.,Ltd.

2nd floor, Wealth Garden, Liushi town, Yueqing, Wenzhou,China ,325604



FZ-VL-001



FZ-527E/W



FZ-526-8



FZ-502W



FZ-502B



SFGS811-WL

E)Safewire optional of economical package :



Access cylindrical socket



Cylindrical socket with paper box



Boxes with kraft paper



Socket with kraft paper



Packing PP belt product outer box




Put to pallet

Tel:0086-577-61725369;

Email:info@safewirele.com;


http://www.safewirele.com

Installation diagram



Installation steps description:

- 1.Open holes according to required dimensions
- 2.Load the socket body from above
- 3.Mount the metal compression auxiliary ring from the lower end
- 4.Mount the locking ring from the bottom
- 5.Adjust the length of three screws on the locking ring according to actual installation requirements





SAFEWIRE

Wenzhou Safewire Electric Co.,Ltd.

2nd floor, Wealth Garden, Liushi town, Yueqing, Wenzhou,China ,325604

