

Wenzhou Safewire Electric CO.,Ltd.

SPECIFICATION SHEET

PRODUCT NAME: 13A switch socket



KC1-017



KC1-081



KC1-082



KC1-048



KC1-053



KC1-050



KC1-042

ADD: 152 xinguang industrial zone, yueqing city, zhejiang province

(TEL) :0086-18612380398

(E-mail) : info@safewirele.com

(WEB): <http://www.safewirele.com>

Product Details

Serial No.	Parameter	Description
1	Place of Origin	Zhejiang, China
2	Brand Name	Safewire or OEM Brand
3	Panel Material	PC
4	Back	PC or PC+IRON
5	Inside	phosphor cooper
6	Touch point	silver alloy
7	Rated Current	13A
8	Rated voltage	220~250V
9	Mechanical Life	40000times
10	Color	White
11	Certificate	CE/IEC/SASO/COC
12	Style	Wall Socket
13	Warranty	10 years

Product Show:



13A switched socket with neon

KC1-017

13A/250V~

10pcs/box 100pcs/ctn

49.5x31.5x20cm³



13A socket without switch

KC1-081

13A/250V
10pcs/box 100pcs/ctn
49.5x31.5x20cm³



13A socket with switch

KC1-082

13A/250V~
10pcs/box 100pcs/ctn
49.5x31.5x20cm³



Double 13A switched socket
with neon

KC1-048

13A/250V~
6pcs/box 60pcs/ctn
49.5x31.5x20cm³



Kitchen switch socket

KC1-053

3x6 45A/250V~
6pcs/box 60pcs/ctn
49.5x31.5x20cm³



2x13A socket with 2 USB Port

KC1-050

13A/250V~
10pcs/box 50pcs/ctn
49.5x31.5x20cm³



13A with 2USB socket

KC1-042

5V $\overline{\text{---}}$ 1000mA
10pcs/box 100pcs/ctn
49.5x31.5x20cm³

Features:

- 1.86*86 size, the most popular size in the market.
- 2.High-quality PC material.Flame retardant,high strength,high temperature resistance,not easy to fade.
- 3.Silver contacts, conductive, arc resistant, Tin - phosphorus bronze current - carrying gold parts, excellent electrical conductivity.
- 4.Precise structure,switch faceplate all in one,easy to assemble and dismantle.
- 5.This 13A switch socket optional this on-off switch and USB & neon. And KW1-053 is the Kitchen switch socket, Product types can be used in different scenarios.

Products inside: Brass and Copper, Silvery touching point





Wenzhou Safewire Electric Co.,Ltd.

No.152 Xingguang Road, Xingguang industry zone, Liushi town, Yueqing, Wenzhou,China ,325604

Application:

Residential / General-Purpose,House,Indoor,School,Office,Building,Hotel,
Residential,villa,home.

Attentions:

1. When installing and wiring,Product should avoid direct contact with corrosive liquid, gas (strong acid, strong alkali, paint).
2. This product is suitable for dry surface treatment, avoid water flush and immersion, and ensure its insulation.
3. Avoid acid alkaline solution flushing,avoid scratch of transparent protective paint,ensure corrosion resistance.