

Wenzhou Safewire Electric CO.,Ltd.

SPECIFICATION SHEET

PRODUCT NAME: 86*86mm SWITCH/SWITCH SOCKET

PRODUCT No. : 1~4 gang switch socket



KC1-001
KC1-002



KC1-003
KC1-004



KC1-005
KC1-006



KC1-007
KC1-008

ADD: 152 xinguang industrial zone, yueqing city, zhejiang province

(TEL) :0086-18612380398


(E-mail) : info@safewirele.com

(WEB): <http://www.safewirele.com>

Product Details

Serial No.	Parameter	Description
1	Place of Origin	Zhejiang, China
2	Brand Name	Safewire or OEM Brand
3	Panel Material	PC
4	Max. Current	10A /16A/ 25A/ 45A
5	Max.voltage	250V
6	Mechanical Life	40000times
7	Color	White
8	Inside	phosphor cooper
9	life time	turn on-off 40000times
10	Certificate	IEC, CE,ROSH, KEMA
11	Warranty	10 years

Product Show:



1 gang 1way switch

KC1-001

1 gang 2way switch

KC1-002

16A/250V~

10pcs/box 100pcs/ctn

49.5x31.5x20cm³



2 gang 1way switch

KC1-003

2 gang 2way switch

KC1-004

16A/250V~

10pcs/box 100pcs/ctn

49.5x31.5x20cm³



3 gang 1way switch
3 gang 2way switch

KC1-005

KC1-006

16A/250V~
10pcs/box 100pcs/ctn
49.5x31.5x20cm³



4 gang 1way switch
4 gang 2way switch

KC1-007

KC1-008

16A/250V~
10pcs/box 100pcs/ctn
49.5x31.5x20cm³

Features:

- 1.86*86 size, the most popular size in the market.
- 2.High-quality PC material.Flame retardant,high strength,high temperature resistance,not easy to fade.
- 3.Silver contacts, conductive, arc resistant, Tin - phosphorus bronze current - carrying gold parts, excellent electrical conductivity.
- 4.Precise structure,switch faceplate all in one,easy to assemble and dismantle.




SAFEWIRE


Wenzhou Safewire Electric Co.,Ltd.

No.152 Xingguang Road, Xingguang industry zone, Liushi town, Yueqing, Wenzhou,China ,325604

Products inside: Brass and Copper, Silvery touching point



Application:



- Office and education
- Industry and Engineering
- Presentation and retail;
- Orientation and safety;
- Transit areas and parking;
- Hotels, hospitality and wellness;



SAFEWIRE

Wenzhou Safewire Electric Co.,Ltd.

No.152 Xingguang Road, Xingguang industry zone, Liushi town, Yueqing, Wenzhou,China ,325604

- Health, sport and leisure;
- Art and culture;

Attentions:

1. When installing and wiring,Product should avoid direct contact with corrosive liquid, gas (strong acid, strong alkali, paint).
2. This product is suitable for dry surface treatment, avoid water flush and immersion, and ensure its insulation.
3. Avoid acid alkaline solution flushing,avoid scratch of transparent protective paint,ensure corrosion resistance.