

Wenzhou Safewire Electric CO.,Ltd.

SPECIFICATION SHEET

PRODUCT NAME: 86*86mm Door bell switch

PRODUCT No. : KW1-009



KC1-009



Wenzhou Safewire Electric Co.,Ltd.

No.152 Xingguang Road, Xingguang industry zone, Liushi town, Yueqing, Wenzhou,China ,325604

ADD: 152 xinguang industrial zone, yueqing city, zhejiang province

(TEL) :0086-18612380398

(E-mail) : info@safewirele.com

(WEB): <http://www.safewirele.com>

Product Details

Serial No.	Parameter	Description
1	Place of Origin	Zhejiang, China
2	Brand Name	Safewire or OEM Brand
3	Panel Material	PC
4	Back	PC or PC+IRON
5	Inside	phosphor cooper
6	Touch point	silver alloy
7	Max. Current	16A
8	Max.voltage	220~250V
9	Mechanical Life	40000times
10	Color	White
11	life time	turn on-off 40000times
12	Certificate	CE/IEC/SASO/COC
13	Style	UK style
14	Warranty	10 years

Product Show:



Door bell switch

KC1-009

10A/250V~


10pcs/box 100pcs/ctn

49.5x31.5x20cm³

Features:

- 1.86*86 size, the most popular size in the market.
- 2.High-quality PC material.Flame retardant,high strength,high temperature resistance,not easy to fade.
- 3.Silver contacts, conductive, arc resistant, Tin - phosphorus bronze current - carrying gold parts, excellent electrical conductivity.
- 4.Precise structure,switch faceplate all in one,easy to assemble and dismantle.

Products inside: Brass and Copper, Silvery touching point



Application:

House,Indoor,School,Office,Building,Hotel,Residential,villa,home



SAFEWIRE

Wenzhou Safewire Electric Co.,Ltd.

No.152 Xingguang Road, Xingguang industry zone, Liushi town, Yueqing, Wenzhou,China ,325604

Attentions:

1. When installing and wiring,Product should avoid direct contact with corrosive liquid, gas (strong acid, strong alkali, paint).
2. This product is suitable for dry surface treatment, avoid water flush and immersion, and ensure its insulation.
3. Avoid acid alkaline solution flushing,avoid scratch of transparent protective paint,ensure corrosion resistance.