

浙江省温州市乐清柳市沿江大道财富花园 2 相 Tel:0086-577-62799688

www.safewirele.com

Wenzhou Safewire Electric CO., Ltd.

SPECIFICATION SHEET

PRODUCT NAME: waterproof socket for 45*45mm modules

PRODUCT No. : SF-QB-202





SF-QB-202

Address:2nd floor, Wealth Garden, Liushi town, Yueqing, Wenzhou, China ,325604

Tel:0086-577-61725369 Mob:0086-18612380398

ZIP:325604

(E-mail): info@safewirele.com (WEB): http://www.safewirele.com



浙江省温州市乐清柳市沿江大道财富花园 2 楼 Tel:0086-577-62799688

www.safewirele.com


Specification

1	Туре	Waterproof Switch Socket
2	Rated Voltage	110V-250V
3	Material	ABS
4	Color	Light Gray or customized
5	Temperature	-20~90℃
6	IP Grade	P55
7	Capacity	4 way 45*45mm modules
8	Dimension	118*58mm
9	Socket	1 gang + switch 2 gang

Product show







Feature

- 1. The products is made from a high-quality thermoplastic Plastic Polycarbonate and ABS.
- 2. The color is gray or customization from you.
- 3. The performance of product: aterproof, fireproof, explosion-proof, acid-prood and



浙江省温州市乐清柳市沿江大道财富花园 2 楼 Tel:0086-577-62799688

www.safewirele.com

alkali-proof,in s.ated, anti-collision etc.

- 4. The product has various fixing ways, which can be fixed with circuitry panel, DIN orbits, wall hanging hole and fixed bolts and so on. All above are outside the seal area.
- 5. Range of appliccoastal areas, factories, docks, water processing equipments, environment protection equipments, waterproof and damprood places etc.
- 6. Applicable for the 45mm modules inside; Re-configuration is customization.

Product size



Application







Car wash



Outdoor scene







Car wash



Subway station



浙江省温州市乐清柳市沿江大道财富花园 2 楼 Tel:0086-577-62799688

www.safewirele.com

Waterproof switch can be used in parks, car washes, kitchens, bathrooms, outdoor construction sites and other places where there is no long-term too damp. When used, it can be equipped with belt connector module series accessories and basic series accessories; The fastening screw installed in front of the frame can install enough cable wiring space on the base to make the installation powder compact and reliable, easy to maintain and ensure the protection class of IP55.