

Wenzhou Safewire Electric CO.,Ltd.

SPECIFICATION SHEET

PRODUCT NAME: universal switch



KC1-010



KC1-011



KC1-043



KC1-012



KC1-015



KC1-049



Wenzhou Safewire Electric Co.,Ltd.

No.152 Xingguang Road, Xingguang industry zone, Liushi town, Yueqing, Wenzhou,China ,325604

ADD: 152 xinguang industrial zone, yueqing city, zhejiang province
(TEL) :0086-18612380398
(E-mail) : info@safewirele.com
(WEB): <http://www.safewirele.com>

Product Details

Serial No.	Parameter	Description
1	Place of Origin	Zhejiang, China
2	Brand Name	Safewire or OEM Brand
3	Panel Material	PC
4	Back	PC or PC+IRON
5	Inside	phosphor cooper
6	Touch point	silver alloy
7	Rated Current	13A
8	Rated voltage	220~250V
9	USB Current	2.1A
10	Mechanical Life	40000times
11	Color	White
12	Size	86*86mm & 86*146mm
13	Certificate	CE/IEC/SASO/COC
14	Style	Wall Socket
	Warranty	10 years

Product Show:



3 pin universal socket

KC1-010

13A/250V~
10pcs/box 100pcs/ctn
49.5x31.5x20cm³



5 pin universal socket

KC1-011

13A/250V~
10pcs/box 100pcs/ctn
49.5x31.5x20cm³



Double switched socket with neon

KC1-043

13A/250V~
6pcs/box 60pcs/ctn
49.5x31.5x20cm³



Switched socket with neon KC1-012

13A/250V~
10pcs/box 100pcs/ctn
49.5x31.5x20cm³



Switched socket with neon KC1-015

13A/250V~
10pcs/box 100pcs/ctn
49.5x31.5x20cm³



MF 2x13A socket with 2 USB Port KC1-049

13A/250V~
10pcs/box 50pcs/ctn
49.5x31.5x20cm³

Features:

1.86*86 size, the most popular size in the market.


2.High-quality PC material.Flame retardant,high strength,high temperature resistance,not easy to fade.

3.Silver contacts, conductive, arc resistant, Tin - phosphorus bronze current - carrying gold parts, excellent electrical conductivity.

4.Precise structure,switch faceplate all in one,easy to assemble and dismantle.

5.This universal socket is optional with switch and indicator light.

Products inside: Brass and Copper, Silvery touching point



Application:

Residential / General-Purpose,House,Indoor,School,Office,

Building,Hotel,Residential,villa,home

Attentions:

1. When installing and wiring,Product should avoid direct contact with corrosive liquid, gas (strong acid, strong alkali, paint).



SAFEWIRE

Wenzhou Safewire Electric Co.,Ltd.

No.152 Xingguang Road, Xingguang industry zone, Liushi town, Yueqing, Wenzhou,China ,325604

2. This product is suitable for dry surface treatment, avoid water flush and immersion, and ensure its insulation.
3. Avoid acid alkaline solution flushing,avoid scratch of transparent protective paint,ensure corrosion resistance.