

No.152 Xingguang Road, Xingguang industry zone, Liushi town, Yueqing, Wenzhou,China ,325604 Tel:0086-577-62799688: Email:info@safewirele.com;

www.safewirele.com

Wenzhou Safewire Electric CO., Ltd.

# SPECIFICATION SHEET

PRODUCT NAME: Desktop socket

PRODUCT No.: FZ-532A/B





FZ-532

ADD: 152 xinguang industrial zone, yueqing city, zhejiang province

(TEL):0086-577-62799688
(E-mail): info@safewirele.com
(WEB): http://www.safewirele.com



No.152 Xingguang Road, Xingguang industry zone, Liushi town, Yueqing, Wenzhou, China ,325604 Tel:0086-577-62799688; Email:info@safewirele.com;

www.safewirele.com

## <u>Technical parameters & characteristic</u>:

# 1) Working environment:

1. The environment temperature:-5°C~/40°C

2. The rated voltage:  $100V \sim 250V$ 

3. Rated current: 10A, 13A, 16A, 20A

# 2) **Technical parameters**:


Serial No.	Parameter	Description
1	Power supply side	Two side
2	Shape column	square
3	Panel Material	Aluminum alloy
4	Surface finish	Painted/Brushed Oxygenated
5	Height of product(mm)	350 for FZ-532A
6	Height of product(mm)	660 for FZ-532B
7	dimension (mm)	151*159
8	Capacity of modules	45*45/45*22.5(mm) modules
9	Configuration	Power outlet+Data outlet or USB charging+HDMI+VGA+Audio
		socket : Customized as required
10	N.W. ( 350mm )	1.2KG
11	N.W. ( 660mm )	2.2KG



No.152 Xingguang Road, Xingguang industry zone, Liushi town, Yueqing, Wenzhou, China ,325604 Tel:0086-577-62799688; Email:info@safewirele.com;

www.safewirele.com

# **Application**:



- Office and education
- Industry and Engineering
- Presentation and retail;
- Orientation and safety;
- Transit areas and parking;
- Hotels, hospitality and wellness;
- Health, sport and leisure;
- Art and culture;




No.152 Xingguang Road, Xingguang industry zone, Liushi town, Yueqing, Wenzhou,China ,325604 Tel:0086-577-62799688; Email:info@safewirele.com;

www.safewirele.com

### **CE certificate by TUV, Germany**



#### **LVD** test report



#### product Show:








No.152 Xingguang Road, Xingguang industry zone, Liushi town, Yueqing, Wenzhou,China ,325604 Tel:0086-577-62799688; Email:info@safewirele.com;

#### www.safewirele.com



- 1. Configuration as per your request.
- 2. Cuostomization height as per your request.
- 3. Aluminum profile, double power supply, easy install.
- 4. Legrand international 45\*45mm modules or 86 type single switch socket or 146 twins switch socket.
- 5. Installation mobility: The columns are secured by pressure on the floor. They do not have to be bolted to the floor and it is therefore very easy to reconfigure the distribution of workplaces.




No.152 Xingguang Road, Xingguang industry zone, Liushi town, Yueqing, Wenzhou, China ,325604 Tel:0086-577-62799688; Email:info@safewirele.com;

www.safewirele.com

### Available for 45\*45mm type international sockets or modules types:


#### **SAFEWIRE**


45 Type Function Accessories



#### **Product drawing:**

FZ-531A FZ-531B







No.152 Xingguang Road, Xingguang industry zone, Liushi town, Yueqing, Wenzhou,China ,325604 Tel:0086-577-62799688; Email:info@safewirele.com;

www.safewirele.com

#### Package: 6 Pcs inner box into a master carton. Poly bag with box packing.



Master carton with


shrink film with pallet

#### **Installation Process**

- 1. Connect and fix the base frame and the housing.
- 2. Connect the base shell and buckle with the base frame.
- 3. Install electrical modules into frame.

Put to pallet

4. Install the top cover on top.








Wenzhou Safewire Electric Co.,Ltd.

No.152 Xingguang Road, Xingguang industry zone, Liushi town, Yueqing, Wenzhou,China ,325604

Tel:0086-577-62799688; Email:info@safewirele.com;

www.safewirele.com





No.152 Xingguang Road, Xingguang industry zone, Liushi town, Yueqing, Wenzhou,China ,325604 Tel:0086-577-62799688; Email:info@safewirele.com;

www.safewirele.com

(Image is for reference only.)	
	→ Shell

#### **Attentions:**

- 1. Prevent from corrosive liquid, gas (strong acid, strong alkali, paint) and humidity.
- 2. All dimension quoted are nominal only. Drawings , images and text are for illustrative perposes only and product details and dimension are subject to change without notice.

#### **Safety Warning:**

- 1)This is a class I product and must be earthed
- 2)This product must be installed/wired by a qualified electrician
- 3)before installation/maintnance ,ensure the mains supply is switched off and the circuit fuses are removed or circuit breakers switch off
  - 4)For indoor use only