

2nd floor, Wealth Garden, Liushi town, Yueqing, Wenzhou, China ,325604

Wenzhou Safewire Electric CO., Ltd.

SPECIFICATION SHEET

PRODUCT NAME: IP66 tower power supply **PRODUCT No. :**

FZ-S66-1





FZ-S66-I

Address:2nd floor, Wealth Garden, Liushi town, Yueqing, Wenzhou, China ,325604 Tel:0086-577-61725369 Mob:0086-18612380398 ZIP:325604 (E-mail) : info@safewirele.com (WEB): http://www.safewirele.com

Email:info@safewirele.com;



2nd floor, Wealth Garden, Liushi town, Yueqing, Wenzhou, China ,325604

Technical parameters

Serial No.	Parameter	Description
1	Power supply side	Two side
2	Shape column	square
3	Panel Material	stainless steel 304
4	Surface finish	Painted/Brushed Oxygenated
5	Degree of protection	IP66
6	Rated Voltage	110V-250V
7	Rated Current	16A & 32A & 420A ect.
8	Capacity of modules	4 * industrial socket
9	Color	white

Product Show:



description

1.Industrial socket & Power distributor with IP66 & IP68 protect sockets in stainless steel 304 spray paint, for indoor and outdoor use.

2. The housing is made of stainless steel 304 spray paint and is protected by IP66 splash water. It is protected against splash water and therefore ideally suited for outdoor use.


3.Ideal for the lawn, in the bed or other floors suitable for secure attachment of typical garden tools, such as lawn mowers, lawn sprinklers or garden lights.



Wenzhou Safewire Electric Co., Ltd.

2nd floor, Wealth Garden, Liushi town, Yueqing, Wenzhou, China ,325604







Outline drawing

FZ-S66 outline

Units:mm





Tel:0086-18612380398;

Email:info@safewirele.com;

http://www.safewirele.com



Wenzhou Safewire Electric Co.,Ltd.

2nd floor, Wealth Garden, Liushi town, Yueqing, Wenzhou, China ,325604



Tel:0086-18612380398;

Email:info@safewirele.com;

http://www.safewirele.com



Wenzhou Safewire Electric Co., Ltd.

2nd floor, Wealth Garden, Liushi town, Yueqing, Wenzhou, China ,325604

Attentions:

1. When installing and wiring, Product should avoid direct contact with corrosive liquid, gas (strong acid, strong alkali, paint).

2. This product is suitable for dry surface treatment, avoid water flush and immersion, and ensure its insulation. This product is not suitable for use in wet areas.

3.All dimensions quotes are nominal only.Drawing images and specification are only for illustrative purposes and dimensions are subject to final confirmation by us.

Safety Warning:

- 1. This is a class I product and must be earthed.
- 2. This product must be installed/wired by a qualified electrician.
- 3.For indoor use only.