




FZ-517




FZ-521




FZ-527




FZ-508



FZ-507




FZ-561





Features

1.Charging distance over : 10-20mm,more complete wood,glass,porcelain,rock surface while charging.



Glass



Ceramic Tile



The Marble




Wood

2. Multiple scenarios are applicable; PD18W, QC3.0, 5W/7.5W/10W/15W Qi I-coil fast wireless charger




3.Teeth around and lock mechanism,more stable & Convenient Installation.



4.Supply with Input USB Cable and accessories.



5.Overcurrent protection,over voltage protection Temperature control,smart clip,safety protection for you device.




WCD: Wireless Charger Desktop

FT-09W



Output	5V/1A 9V/1.1A		
Voltage	110-240V		
Input	5V 2A (two port)		
Materials	ABS		
Charging Distance	8mm		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M ³)	Set/CTN
16	53*34*24	0.043	50




FT-10W



Output	5V/1A 9V/1.1A		
Voltage	110-240V		
Input	5V2A 9V1.67A		
Charging Distance	2-25mm		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M ³)	Set/CTN
5	36.4*28*18	0.018	18

Outline Drawing:




FT-12W



Output	5V/1A 9V/1.1A		
Voltage	110-240V		
Input	5V2A 9V1.67A		
USB port	5V/2A(two port)		
Charging Distance	8mm		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M ³)	Set/CTN
5.5	43.5*24.5*27.5	0.029	50

Outline Drawing:




WCD: Wireless Charger Desktop

FMF-18W



Output	5V/1A 9V/1.1A		
PD output	18W		
Voltage	110-240V		
Input	5V2A		
Describe	Mobile phone support + Wireless charging + two port USB		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M ³)	Set/CTN
10.5	47*39*20	0.037	30

Outline Drawing:




FT-06W



Output Rate	15W		
Input	Type C USB charger+DC input		
Panel Dimension(mm)	Ø75mm		
Color	white or black or OEM		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M ³)	Set/CTN
5.5	43.5*24.5*27.5	0.029	50

Outline Drawing:




FT-07W



Output	5V/1A 9V/1.1A		
Voltage	110-240V		
Input	5V2A		
Product Size	Ø74 * 18mm		
Charging Distance	8mm		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M ³)	Set/CTN
5	36.4*28*18	0.018	18

Outline Drawing:




WCD: Wireless Charger Desktop

FT-08W



Output	5V/1A 9V/1.1A		
Voltage	110-240V		
Input	5V2A		
Product size	Ø70* 24.5mm		
Charging Distance	8mm		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M ³)	Set/CTN
5.5	43.5*24.5*27.5	0.029	50

Outline Drawing:




FZ-521B-WF



Wattage	Aluminum alloy		
Panel Dimension (mm)	340*130		
Cutout (mm)	328*116		
Capacity Of Modules	8 ways 45*45mm modules		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M ³)	Set/CTN
17.5	52*34.5*68.5	0.123	12

Outline Drawing:




FZ-521S-WF




Wattage	Aluminum alloy		
Panel Dimension (mm)	340*130		
Cutout (mm)	328*116		
Capacity Of Modules	8 ways 45*45mm modules		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M ³)	Set/CTN
17.5	53.5*37*34.5	0.068	6

Outline Drawing:



IP44 Level protector shutter socket



45 degree socket, more easy plug into unites.



Optional motorised pop up with bluetooth/USB and wireless charge etc.



FZ-VL-001



FZ-527E/W



FZ-527E/U


VLD: Vertical Liftable Desktop

FZ-VL-001



Panel Material	Aluminum 6063, PC zinc alloy		
Surface finish/side	Silver/black/four sides		
Capacity of modules	16 ways 45*45mm modules		
Describe	wireless charger & USB motorised pop up with USB/bluetooth/outlets		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M ³)	Set/CTN
10.4	47*42*27.5	0.054	6

Outline Drawing:




FZ-VL-002



Panel Material	Aluminum 6063, PC zinc alloy		
Surface finish/side	Silver/black/dauble sides		
Capacity of modules	16 ways 45*45mm modules		
Describe	wireless charger & USB motorised pop up with USB/bluetooth/outlets		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M ³)	Set/CTN
10.4	47*42*27.5	0.054	6

Outline Drawing:




FZ-527E/W



Material	Aluminum 6063, PC zinc alloy		
Optional color	silver/black		
Capacity of modules	8 ways 45*45mm modules		
Describe	wireless charger & USB motorised pop up with USB/bluetooth/outlets		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M ³)	Set/CTN
10.4	47*42*27.5	0.054	6

Outline Drawing:




FZ-527E/U



Material	Aluminum 6063, PC zinc alloy		
Optional color	silver/black		
Capacity of modules	8 ways 45*45mm modules		
Describe	Motorised pop up with USB/bluetooth/outlets		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M ³)	Set/CTN
10.4	47*42*27.5	0.054	6

Outline Drawing:




VLD:Vertical Liftable Desktop

FZ-527B



Panel Material	Stainless		
Surface finish	Painted/Oxygenated		
Capacity of modules	8 ways 45*45mm modules		
Describe	Cylindrical engineer popup with UsB/outlets		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M³)	Set/CTN
10.4	47*42*27.5	0.054	6

Outline Drawing:




FZ-527



Panel Material	Stainless		
Surface finish	Painted/Oxygenated		
Capacity of modules	8 ways 45*45mm modules		
Describe	Pneumatic pop up with USB/outlets		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M³)	Set/CTN
10.4	47*42*27.5	0.054	6

Outline Drawing:




FZ-520



Panel Material	Zinc Alloy/Steel		
Surface finish	Painted/Oxygenated		
Capacity of modules	4~10 ways 45*45mm modules		
Describe	Cylindrical liftable pop up with USB/outlets		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M³)	Set/CTN
10.4	47*42*27.5	0.054	6

Outline Drawing:





FZ-526-8



Panel Material	Aluminum 6063, PC zinc alloy		
Surface finish	Painted/Oxygenated		
Capacity of modules	8 ways 45*45mm modules		
Describe	Cylindrical pop upwith USB/outlets		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M³)	Set/CTN
10.4	47*42*27.5	0.054	6

Outline Drawing:






IP44, Aluminum alloy plate + UL94 PC fire retardant box , More higher insulation, more safety.



45mm snap-in socket+ 2 bridge support + screw fixing box, Easy Installation & replacement save labor cost.



45 degree/180 degree plug with socket + IP44 pop up 45mm socket with shutter, more best plug.




IP44 pop up 45mm socket with shutter



FZ-517B

Panel Material	Aluminum alloy		
Panel Dimension (mm)	240*120		
Cutout (mm)	231*12		
Capacity Of Modules	6 ways 45*45mm modules		
Color	Black RAL9005		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M ³)	Set/CTN
15.4	48*31*42	0.062	12


Outline Drawing:



FZ-517-DN B/W/S

Panel Material	Aluminum alloy		
Panel Dimension (mm)	266*118		
Cutout (mm)	231*112		
Capacity Of Modules	6 ways 45*45mm modules		
Color	Black / White / Silver		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M ³)	Set/CTN
9.95	44.5*28.5*27	0.034	9

Outline Drawing:






FZ-515B

Panel Material	Aluminum alloy			
Panel Dimension (mm)	170*123			
Cutout (mm)	148*115			
Capacity Of Modules	4 ways 45*45mm modules			
Color	Black			
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M ³)	Set/CTN	
8.76	49*42.7*27	0.056	12	

Outline Drawing:




FZ-515B-WF



Panel Material	Aluminum alloy			
Panel Dimension (mm)	170*123			
Cutout (mm)	148*115			
Capacity Of Modules	4 ways 45*45mm modules			
Color	Black			
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M ³)	Set/CTN	
8.76	49*42.7*27	0.056	12	

Outline Drawing:





FZ-TB-B



FZ-TB-A



FZ-TB-W

Fixed or Free-standing Installation.




Clamped Installation



Free-standing

Configuration and dimension can be customization.



CMD:Clamped Mounted Desktop



FZ-TB-W

Panel Material	Aluminum alloy/PC		
Panel Dimension (mm)	200*63		
Cutout (mm)	170*33		
Capacity Of Modules	6/8/10 ways 50*50mm black /45*45mm white modules		
Color	White		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M³)	Set/CTN
12. 15	56*31*31	0. 054	10



FZ-TB-A




Panel Material	Aluminum alloy/PC		
Panel Dimension (mm)	318.5*81.5		
Cutout (mm)	170*33		
Capacity Of Modules	50*50mm black modules /45*45mm white modules		
Color	Silver / Black		
Describe	Flush-mounting with power cable		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M³)	Set/CTN
17. 6	52*41*39	0. 083	12



FA-1770-D/U

Panel Material	Fire-retardant ABS plastic		
Panel Dimension (mm)	86.4*115*85		
Cutout (mm)	70*100*70		
Capacity Of Modules	2 ways (45*45mm)modules		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M ³)	Set/CTN
12. 15	56*31*31	0. 054	10

Outline Drawing:




FA-2770



Panel Material	Fire-retardant ABS plastic		
Panel Dimension (mm)	146.4*115*85		
Cutout (mm)	120*95*65		
Capacity Of Modules	4 ways (45*45mm)modules		
Capacity of modules	4 ways (45*45mm) modules & 146*86 type socket		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M ³)	Set/CTN
12. 15	56*31*31	0. 054	10

Outline Drawing:



Wall Mounted Socket Series

More Protection

Polish material protect from oil and water



Say No



Oil



Water



304 Stainless / Chrome surface finish , more performance anti-corrosion & anti-oil



SFGLC-1






SFGLC86-1



SFGLC86-2



SFGLC86-3



More optional color like Silver/Black/White/Graphite etc.



Black



White



Silver



Gold






Graphite



Nicket

1.Safewire's Counter top socket Application in different system



SFGLC-2





Panel material	Aluminum alloy		
Feature	Usually used in the kitchen, hotel and so on		
Capacity of modules	4 ways (45*45mm)modules		
Color surface	Silver		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M ²)	Set/CTN
12. 15	56*31*31	0. 054	10

SFGLC-3



Panel material	Aluminum alloy		
Feature	Usually used in the kitchen, hotel and so on		
Capacity of modules	6 ways (45*45mm)modules		
Color surface	Silver		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M ²)	Set/CTN
12. 15	56*31*31	0. 054	10




CAP: Corner Aluminum Profile

SFGLC-1



Panel Material	Stainless Steel		
Panel Dimension (mm)	86*86*40mm		
Capacity of Modules	One 86*86mm Socket		
Color	Champaign gold/Rose-bengal /black/Stainless steel silver		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M ³)	Set/CTN
17.6	52*41*39	0.083	12

Outline Drawing:




SFGLC86-1



Panel Material	Stainless Steel		
Panel Dimension (mm)	86*86*40mm		
Capacity of Modules	One 45*45mm/86 type Socket		
Color	Champaign gold/Rose-bengal /black/Stainless steel silver		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M ³)	Set/CTN
17.6	52*41*39	0.083	12

Outline Drawing:




SFGLC86-2



Panel Material	Stainless steel		
Panel Dimension (mm)	86*171*40mm		
Capacity of Modules	Two 45*45mm/86 type Socket		
Color	Champaign gold/Rose-bengal /black/Stainless steel silver		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M ³)	Set/CTN
17.6	52*41*39	0.083	12

Outline Drawing:




SFGLC86-3



Panel Material	Stainless steel		
Panel Dimension (mm)	86*258*40mm		
Capacity of Modules	Three 45*45mm/86 type Socket		
Color	Champaign gold/Rose-bengal /black/Stainless steel silver		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M ³)	Set/CTN
17.6	52*41*39	0.083	12

Outline Drawing:





HT-146TS



HT-86SS


COMMSCOPE®
CRESTRON
NEUTRIK
Extron®



Modular design for Configuration
of power supply and communication,
45*45mm modular, 86 type switch
and International Brand data etc.



F2



F4



F11



F15



F18



F59



F65A



F21/F23



F55



F50



F51



F52

Anodised Ev1 Aluminum/Brushing wire drawing flap , optional black powder-coated housing.



FZ-L002A/B



Be closed while device have been plugged in and without crushing the cables.



FZ-521C



Side-mounting

FMD: Flush Mount Desktop



FX-ZSG-A

Panel Material	Aluminum alloy		
Panel Dimension (mm)	260*158		
Cutout (mm)	233*129		
Capacity Of Modules	Power outlet+Data outlet or USB charging : Customized as required		
Feature	Dual flip without spring		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M³)	Set/CTN
10.6	52*28.5*29.5	0.044	12



FX-ZSG-B

Panel Material	Aluminum alloy		
Panel Dimension (mm)	260*158		
Cutout (mm)	233*129		
Capacity Of Modules	Power outlet+Data outlet or USB charging : Customized as required		
Feature	Dual flip without spring		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M³)	Set/CTN
10.6	52*28.5*29.5	0.044	12




FZ-Z300

Panel Material	Aluminum alloy		
Panel Dimension (mm)	300*127		
Cutout (mm)	290*110		
Capacity Of Modules	Power outlet+Data outlet or USB charging : Customized as required		
Feature	Dual flip without spring		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M³)	Set/CTN
10.6	52*28.5*29.5	0.044	12



FZ-L001A/B

Panel Material	Aluminum alloy(silver) , zinc alloy(black)		
Panel Dimension (mm)	400*145*97		
Cutout (mm)	380*135		
Capacity Of Modules	3*86type modules		
Color	Silver / Black		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M³)	Set/CTN
10.6	52*28.5*29.5	0.044	12



FZ-L002A/B

Panel Material	Aluminum alloy		
Panel Dimension (mm)	340*130		
Cutout (mm)	328*116		
Capacity Of Modules	Power outlet+Data outlet or USB charging : Customized as required		
Color	Silver / Black		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M³)	Set/CTN
10.6	52*28.5*29.5	0.044	12



FZ-507S/FZ-507B

Panel Material	Aluminum alloy/steel		
Panel Dimension (mm)	233*62*45		
Cutout (mm)	229*58		
Capacity Of Modules	Max.9 ways 45*45mm modules		
Color	Silver/ Black/Gray		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M³)	Set/CTN
25	51*34*33	0.057	12


FMD: Flush Mount Desktop

FZ-523



Panel Material	Aluminum alloy			
Panel Dimension (mm)	302*119*122			
Cutout (mm)	289*110			
Capacity Of Modules	Non-standard module			
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M ³)	Set/CTN	
11.7	40*25.5*43	0.044	12	

Outline Drawing:




FZ-536



Panel Material	Aluminum alloy			
Panel Dimension (mm)	220*110*76			
Cutout (mm)	180*60*50			
Capacity Of Modules	6 ways 45*45mm modules			
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M ³)	Set/CTN	
11.7	40*25.5*43	0.044	12	

Outline Drawing:




FZ-PFB01/02



Panel Material	PC			
Panel Dimension (mm)	95*94			
Cutout (mm)	80*80			
Capacity Of Modules	Slide coverplate with outlet&USB			
Color	Black			
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M ³)	Set/CTN	
8.45	58*49*35	0.099	33	

Outline Drawing:




FMD:Flush Mount Desktop

FZ-501B/S



Panel Material	Zinc alloy		
Panel Dimension (mm)	Ø110		
Cutout (mm)	Ø102		
Capacity Of Modules	3 ways (45*45mm)modules		
Color	Black		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M³)	Set/CTN
16	53*34*24	0.043	50

Outline Drawing:




FZ-502W/B



Panel Material	Fire-retardant PC plastic		
Panel Dimension (mm)	Ø120		
Cutout (mm)	Ø108		
Capacity Of Modules	45*45mm modules		
Color	White		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M³)	Set/CTN
16	53*34*24	0.043	50

Outline Drawing:




SFGS811-UK/EU/US



Panel Material	PC		
Panel Dimension (mm)	Ø90		
Cutout (mm)	Ø85		
Capacity Of Modules	typeA,typeC		
Color	white,etc		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M³)	Set/CTN
16	53*34*24	0.043	50

Outline Drawing:




FMD:Flush Mount Desktop

SFGS811-WL



Panel Material	PC		
Panel Dimension (mm)	Ø90		
Cutout (mm)	Ø85		
Capacity Of Modules	typeA,typeC,Wireless charging		
Color	white,etc		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M³)	Set/CTN
16	53*34*24	0.043	50

Outline Drawing:




FZ-561E



Panel Material	Aluminum alloy+PC		
Panel Dimension (mm)	285*109*104		
Cutout (mm)	258*105		
Capacity Of Modules	Engineer 8 ways 45*45mm modules		
Feature	Rotated		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M³)	Set/CTN
11.5	63*39*28	0.069	7

Outline Drawing:




FZ-561



Panel Material	Aluminum alloy+PC		
Panel Dimension (mm)	285.5*109*104		
Cutout (mm)	258*105		
Capacity Of Modules	8 ways 45*45mm modules		
Feature	Manual		
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M³)	Set/CTN
11.5	63*39*28	0.069	7

Outline Drawing:




FMD: Flush Mount Desktop

FZ-521S



Panel Material	Aluminum alloy			
Panel Dimension (mm)	265*130			
Cutout (mm)	254*116			
Capacity Of Modules	9 ways 45*45mm modules			
Color	Silver			
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M ³)	Set/CTN	
10.6	52*28.5*29.5	0.044	12	

Outline Drawing:




FZ-521C



Panel Material	Fire-retardant PC plastic			
Panel Dimension (mm)	265*130			
Cutout (mm)	254*116			
Capacity Of Modules	9 ways 45*45mm modules			
Color	Silver / Black			
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M ³)	Set/CTN	
32	56*31*31	0.054	20	

Outline Drawing:




FZ-525



Panel Material	Aluminum alloy			
Panel Dimension (mm)	340*150			
Cutout (mm)	312*132			
Capacity Of Modules	8 ways 45*45mm modules			
Feature	Dual flip with spring			
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M ³)	Set/CTN	
32	56*31*31	0.054	20	

Outline Drawing:



FZ-528



Panel Material	Aluminum alloy			
Panel Dimension (mm)	265*130			
Cutout (mm)	254*116			
Capacity Of Modules	8 ways 45*45mm modules			
Color	Silver / Black			
G.W/CTN(KGS)	MEASUREMENT/CTN(CM)	TOTAL(M ³)	Set/CTN	
32	56*31*31	0.054	20	

Outline Drawing:

