



Wenzhou Safewire Electric Co.,Ltd.

2<sup>nd</sup> floor, Wealth Garden, Liushi Town, Yueqing city,Wenzhou,Zhejiang,China  
Tel:0086-577-61725369; Email:info@safewirele.com;

[www.safewirele.com](http://www.safewirele.com)

Wenzhou Safewire Electric CO.,Ltd.

# SPECIFICATION SHEET

**PRODUCT NAME: Bottom Box**

**PRODUCT No. : B-8080063**



ADD: 152 xinguang industrial zone, yueqing city, zhejiang province

(TEL) :0086-577-62799688

(E-mail) : info@safewirele.com

(WEB): <http://www.safewirele.com>



## Wenzhou Safewire Electric Co.,Ltd.

2<sup>nd</sup> floor, Wealth Garden, Liushi Town, Yueqing city,Wenzhou,Zhejiang,China  
Tel:0086-577-61725369; Email:info@safewirele.com;

[www.safewirele.com](http://www.safewirele.com)

### Product Description

<b>Item No.</b>	B-8080063
<b>Size</b>	86*146*35mm
<b>Self-extinguishing</b>	650° C / 30 s
<b>Storage temperature</b>	- 10° C to + 70° C
<b>Brand</b>	Safewire
<b>Material</b>	PVC flame retardant
<b>Color</b>	White

### Product Show:



### Features

- \* Thickened bottom box:Adopt flame retardant PVC material, high temperature resistance, good load-bearing performance
- \*Integrated mold, strong and durable
- \*All copper screw holes
- \*The bottom box has multi-function nail hole, easy to install
- \*Suitable for trunking system and ray tube interface
- \*Design of reserved connection hole

### Installation instruction:

1. Pry open the cover plate with a word screwdriver.
2. Insert the wire cable directly into the backseat wiring hole,and tighten the pressure line screw



**SAFEWIRE**

Wenzhou Safewire Electric Co.,Ltd.

2<sup>nd</sup> floor, Wealth Garden, Liushi Town, Yueqing city,Wenzhou,Zhejiang,China

Tel:0086-577-61725369; Email:info@safewirele.com;

[www.safewirele.com](http://www.safewirele.com)

with a screwdriver

3. Tighten the mounting bracket frame and bottom box with the fixing screw
4. Finally buckle the cover plate

**RoHS Certificate of Compliance:** Conforms with the Directive 2002/95/EC (ROHS)