

#### Wenzhou Safewire Electric Co.,Ltd.

2<sup>nd</sup> floor, Wealth Garden, Liushi Town, Yueqing city,Wenzhou,Zhejiang,China Tel:0086-577-61725369; Email:info@safewirele.com;

www.safewirele.com

Wenzhou Safewire Electric CO., Ltd.

# SPECIFICATION SHEET

PRODUCT NAME: Bottom Box

PRODUCT No.: B-8080075



ADD: 152 xinguang industrial zone, yueqing city, zhejiang province

(TEL) :0086-577-62799688
(E-mail) : info@safewirele.com
(WEB): http://www.safewirele.c



### Wenzhou Safewire Electric Co.,Ltd.

2<sup>nd</sup> floor, Wealth Garden, Liushi Town, Yueqing city,Wenzhou,Zhejiang,China Tel:0086-577-61725369; Email:info@safewirele.com;

#### www.safewirele.com

#### **Product Description**

Item No.	B-8080075
Size	80*80*36mm
Self-extinguishing	650° C / 30 s
Storage temperature	- 10° C to + 70° C
Brand	Safewire
Material	PVC flame retardant
Color	White

# **Product Show:**



#### **Features**

- \* Thickened bottom box:Adopt flame retardant PVC material, high temperature resistance, good load-bearing performance
- \*Integrated mold, strong and durable
- \*All copper screw holes
- \*The bottom box has multi-function nail hole, easy to install
- \*Suitable for trunking system and ray tube interface
- \*Design of reserved connection hole

#### Installation instruction:

- 1. Pry open the cover plate with a word screwdriver.
- 2. Insert the wire cable directly into the backseat wiring hole, and tighten the pressure line screw



## Wenzhou Safewire Electric Co.,Ltd.

2<sup>nd</sup> floor, Wealth Garden, Liushi Town, Yueqing city,Wenzhou,Zhejiang,China Tel:0086-577-61725369; Email:info@safewirele.com;

#### www.safewirele.com

#### with a screwdriver

- 3. Tighten the mounting bracket frame and bottom box with the fixing screw
- 4. Finally buckle the cover plate

RoHS Certificate of Compliance: Conforms with the Directive 2002/95/EC (ROHS)