



Wenzhou Safewire Electric Co.,Ltd.

2nd floor, Wealth Garden, Liushi Town, Yueqing city,Wenzhou,Zhejiang,China
Tel:0086-577-61725369; Email:info@safewirele.com;

www.safewirele.com

Wenzhou Safewire Electric CO.,Ltd.

SPECIFICATION SHEET

PRODUCT NAME: Faceplate

PRODUCT No. : F-6117079



ADD: 152 xinguang industrial zone, yueqing city, zhejiang province

(TEL) :0086-577-62799688

(E-mail) : info@safewirele.com

(WEB): <http://www.safewirele.c>



Wenzhou Safewire Electric Co.,Ltd.


2nd floor, Wealth Garden, Liushi Town, Yueqing city,Wenzhou,Zhejiang,China
Tel:0086-577-61725369; Email:info@safewirele.com;

www.safewirele.com

Product Description

| | |
|-------------------------|--|
| Item No. | F-6117079 |
| No. of Connecting Ports | Single port |
| Optional Modules | keystone Jacks, Euro-LJ6C, blank modules, shutters |
| Series | 86 type |
| Cutout Size | 45*45mm |
| Outer Size | 86*86mm |
| Frame type | Flat type |
| Brand | Safewire |
| Material | Fire-retardant |
| Color | White/Black optional |

Product Show:



Product description

Features

- 1.Faceplates accept any combination of popular global brands keystone Jacks,Multimedia, blank modules, shutters etc.
- 2.Wide selection as angled /flat , single or Double-gang, labeling window & oversized to fit more available application.



Wenzhou Safewire Electric Co.,Ltd.

2nd floor, Wealth Garden, Liushi Town, Yueqing city, Wenzhou, Zhejiang, China
Tel:0086-577-61725369; Email:info@safewirele.com;

www.safewirele.com

3. Oversized option offers a wide frame for design coverage for flaws around the outlet. And labeling windows option offer windows on top & bottom with clear plastic covers.
4. Angled version maintains bend radius of patch cords and prevents damage.

Specification:

1. Plastic: High-impact thermoplastic that is rated UL94V-0 fire-retardant.
2. Flat type;
3. Cutout Size:45*45mm/0.98"/1.96";
4. Outer Size:86*86mm/3.38"/3.38";
5. Screws for patch panels:Supplied with M3.5 mounting screws .

RoHS Certificate of Compliance: Conforms with the Directive 2002/95/EC