

Wenzhou Safewire Electric Co.,Ltd.

2nd floor, Wealth Garden, Liushi Town, Yueqing city,Wenzhou,Zhejiang,China Tel:0086-577-61725369; Email:info@safewirele.com;

www.safewirele.com

Wenzhou Safewire Electric CO., Ltd.

SPECIFICATION SHEET

PRODUCT NAME: Faceplate

PRODUCT No.: F-6117080



ADD: 152 xinguang industrial zone, yueqing city, zhejiang province

(TEL):0086-577-62799688
(E-mail): info@safewirele.com
(WEB): http://www.safewirele.c



Wenzhou Safewire Electric Co.,Ltd.

2nd floor, Wealth Garden, Liushi Town, Yueqing city,Wenzhou,Zhejiang,China Tel:0086-577-61725369; Email:info@safewirele.com;

www.safewirele.com

Product Description

Item No.	F-6117080
No. of Connecting Ports	Single port
Optional Modules	keystone Jacks, Euro-LJ6C, blank modules, shutters
Series	86 type
Cutout Size	45*45mm
Outer Size	86*86mm
Frame type	Bevelled type
Brand	Safewire
Material	Fire-retardant
Color	White/Black optional

Product Show:



Product description

Features

- 1.Faceplates accept any combination of popular global brands keystone Jacks, Multimedia, blank modules, shutters etc.
- $2. Wide \ selection \ as \ angled \ / flat \ , \ single \ or \ Double-gang, \ labeling \ window \ \& \ oversized \ to \ fit \ more \ available \ application.$



Wenzhou Safewire Electric Co.,Ltd.

2nd floor, Wealth Garden, Liushi Town, Yueqing city,Wenzhou,Zhejiang,China Tel:0086-577-61725369; Email:info@safewirele.com;

www.safewirele.com

- 3. Oversized option offers a wide frame for design coverage for flaws around the outlet. And labeling windows option offer windows on top & bottom with clear plastic covers.
- 4. Angled version maintains bend radius of patch cords and prevents damage.

Specification:

- 1. Plastic: High-impact thermoplastic that is rated UL94V-0 fire-retardant.
- 2. Bevelled type;
- 3. Cutout Size:45*45mm/0.98"/1.96";
- 4. Outer Size: 86*86mm/3.38"/3.38";
- 5. Screws for patch panels: Supplied with M3.5 mounting screws.

RoHS Certificate of Compliance: Conforms with the Directive 2002/95/EC