



Wenzhou Safewire Electric Co.,Ltd.

2nd floor, Wealth Garden, Liushi Town, Yueqing city,Wenzhou,Zhejiang,China
Tel:0086-577-61725369; Email:info@safewirele.com;

www.safewirele.com

Wenzhou Safewire Electric CO.,Ltd.

SPECIFICATION SHEET

PRODUCT NAME: Faceplate

PRODUCT No. : F-8081044



ADD: 152 xinguang industrial zone, yueqing city, zhejiang province

(TEL) :0086-577-62799688

(E-mail) : info@safewirele.com

(WEB): <http://www.safewirele.c>



Wenzhou Safewire Electric Co.,Ltd.

2nd floor, Wealth Garden, Liushi Town, Yueqing city,Wenzhou,Zhejiang,China
Tel:0086-577-61725369; Email:info@safewirele.com;

www.safewirele.com

Product Description

Item No.	F-8081044
No. of Connecting Ports	Single port
Optional Modules	keystone Jacks, Euro-LJ6C, blank modules, shutters
Series	80 type
Cutout Size	45*45mm
Outer Size	80*80mm
Frame type	Bevelled type
Brand	Safewire
Material	Fire-retardant
Color	White/Black optional

Product Show:



Features

- 1.Faceplates accept any combination of popular global brands keystone Jacks,Multimedia, blank modules, shutters etc.
- 2.Wide selection as angled /flat , single or Double-gang, labeling window & oversized to fit more available application.
3. Oversized option offers a wide frame for design coverage for flaws around the outlet.And



Wenzhou Safewire Electric Co.,Ltd.

2nd floor, Wealth Garden, Liushi Town, Yueqing city,Wenzhou,Zhejiang,China
Tel:0086-577-61725369; Email:info@safewirele.com;

www.safewirele.com

labeling windows option offer windows on top & bottom with clear plastic covers.

4. Angled version maintains bend radius of patch cords and prevents damage.

Specification:

1. Plastic: High-impact thermoplastic that is rated UL94V-0 fire-retardant.
2. Bevelled type;
3. Cutout Size:45*45mm/0.98"/1.96";
4. Outer Size:80*80mm/3.38"/3.38";
5. Screws for patch panels:Supplied with M3.5 mounting screws .

RoHS Certificate of Compliance: Conforms with the Directive 2002/95/EC