



Wenzhou Safewire Electric Co.,Ltd.

2<sup>nd</sup> floor, Wealth Garden, Liushi Town, Yueqing city, Wenzhou, Zhejiang, China

Tel:0086-577-61725369; Email:info@safewirele.com;

[www.safewirele.com](http://www.safewirele.com)

# SPECIFICATION SHEET

**PRODUCT NAME:** Curve switch sockets

**PRODUCT No. :** F81



F81

ADD: 152 xinguang industrial zone, yueqing city, zhejiang province

(TEL) :0086-577-62799688

(E-mail) : info@safewirele.com

(WEB): <http://www.safewirele.com>



## Wenzhou Safewire Electric Co.,Ltd.

2<sup>nd</sup> floor, Wealth Garden, Liushi Town, Yueqing city, Wenzhou, Zhejiang, China  
Tel: 0086-577-61725369; Email: info@safewirele.com;  
[www.safewirele.com](http://www.safewirele.com)

### Quick Details

Place of Origin: Zhejiang, China

Brand Name: Safewire

Model Number: F81

Type: 1 Gang 2 way switch

Max. Current: 15A

Max. Voltage: 120V

Mechanical Life: 10 Years

Color: White

Net weight: 150g

Working frequency: 2.412~2.48MHz

### Describe

type	1 gang 2 way switch
color	white
Shelf life	5 years
Current	10A
Voltage	250V
Panel Material	ABS
Inside Material	High quality brass and ABS
Size	45*22.5mm
Surface	Smooth / curved face
Advantage	This is two way switch socket, that is more conducive to wiring



Wenzhou Safewire Electric Co.,Ltd.

2<sup>nd</sup> floor, Wealth Garden, Liushi Town, Yueqing city, Wenzhou, Zhejiang, China

Tel: 0086-577-61725369; Email: info@safewirele.com;

[www.safewirele.com](http://www.safewirele.com)

## Product Show:



1. Flame-retardant nylon is used in the backseat, strong flame-retardant
2. High elastic tin phosphor bronze is used for switch contact.
3. The surface material of the panel is made of ABS.

## Application

The product use in floor box or desktop socket or the wall .

**RoHS Certificate of Compliance :** Conforms with the Directive 2002/95/EC (ROHS)

regarding to limitation of dangerous substances, in particular to clause 4 which forbids the use of substances: