

Wenzhou Safewire Electric Co.,Ltd.
2nd floor, Wealth Garden, Liushi Town, Yueqing city,Wenzhou,Zhejiang,China Tel:0086-577-61725369; Email:info@safewirele.com;
www.safewirele.com

SPECIFICATION SHEET

PRODUCT NAME: Switch sockets

PRODUCT No. : F83





F83

ADD: 152 xinguang industrial zone, yueqing city, zhejiang province

(TEL) :0086-577-62799688

(E-mail): info@safewirele.com

(WEB): http://www.safewirele.com



Wenzhou Safewire Electric Co.,Ltd.

2nd floor, Wealth Garden, Liushi Town, Yueqing city,Wenzhou,Zhejiang,China Tel:0086-577-61725369; Email:info@safewirele.com; www.safewirele.com

Quick Details

Place of Origin:Zhejiang, China Brand Name:Safewire Model Number: F82 Type: 2 Gang 2 way switch Max. Current:15A Max. Voltage:120V Mechanical Life:10 Years Color:White Net weight:150g Working frequency:2.412~2.48MHz

Describe

	
type	2 gang 2 way switch
color	white
Shelf life	5 years
Current	10A
Voltage	250V
Panel	ABS
Material	
Inside Material	High quality brass and ABS
Size	45*45mm
Advantage	This is two way switch socket, that is more conducive to
	wiring



Wenzhou Safewire Electric Co.,Ltd. 2nd floor, Wealth Garden, Liushi Town, Yueqing city,Wenzhou,Zhejiang,China Tel:0086-577-61725369; Email:info@safewirele.com; www.safewirele.com

Product Show:







Flame-retardant nylon is used in the backseat, strong flame-retardant
 High elastic tin phosphor bronze is used for switch contact.
 The surface material of the panel is made of ABS.

Application

The product use in floor box or desktop socket or the wall .

RoHS Certificate of Compliance: Conforms with the Directive 2002/95/EC (ROHS)

regarding to limitation of dangerous substances, in particular to clause 4 which forbids the use of substances: