



Wenzhou Safewire Electric Co.,Ltd.

2nd floor, Wealth Garden, Liushi Town, Yueqing city, Wenzhou, Zhejiang, China
Tel:0086-577-61725369; Email:info@safewirele.com;

www.safewirele.com

SPECIFICATION SHEET

PRODUCT NAME: Cat5e sockets

PRODUCT No. : XJY-NE-182A



ADD: 152 xinguang industrial zone, yueqing city, zhejiang province

(TEL) :0086-577-62799688

(E-mail) : info@safewirele.com

(WEB): <http://www.safewirele.com>



Wenzhou Safewire Electric Co.,Ltd.

2nd floor, Wealth Garden, Liushi Town, Yueqing city,Wenzhou,Zhejiang,China
Tel:0086-577-61725369; Email:info@safewirele.com;

www.safewirele.com

Quick Details

Place of Origin:Zhejiang, China

Brand Name:Safewire

Type:cat6

Application:Network Cabling System

Color:White or Bkack

Category:A6 keystone jack

MOQ:1000 Pcs

Packing:1 pcs /Bag

Classification:RJ45

Describe

Product Name	XJY-NE-182A
Type	A6 Keystone Jack
Application	Network Cabling System
Color	White or Black
Category	a6 Face Plate
MOQ	1000 Pcs
Packing	1 pcs /Bag
Classification	RJ45
Size	25*38mm
Material	ABS
TIA/EIA	568A/B coded



Wenzhou Safewire Electric Co.,Ltd.

2nd floor, Wealth Garden, Liushi Town, Yueqing city, Wenzhou, Zhejiang, China
Tel:0086-577-61725369; Email:info@safewirele.com;

www.safewirele.com

Product Show:



Feature

- 1.Heavy duty Cat6 RJ45 Keystone modular jack for patch panels, surface mount boxes, or wall plates (face plates) with standard keystone ports
- 2.Future-proof your network for 10-Gigabit Ethernet at a Cat5e price with this convenient and cost effective multi-pack punch down keystone for Ethernet
- 3.Gold plated contacts and easy snap-in retaining clip ensure a secure and corrosion free connection
- 4.COST-EFFECTIVE 25-PACK of Category 6 KJ modules includes a keystone jack punch-down stand for easier and safer cable termination; Impact tool or tool-free 90 degree termination
- 5.HEAVY-DUTY CONSTRUCTION includes an impact- resistant and fire-retardant housing with gold-plated RJ45 contacts, dual IDC covers, and a snap-in retaining clip for a secure connection

Technical Spec.:

- 1, DC resistance: $\leq 300\text{m}\Omega$
- 2, contact resistance $\leq 20\text{m}\Omega$
- 3, compressive strength: 1000V (AC750V) 1min no breakdown and flying arc
- 4, insulation resistance $\geq 1000\text{m}\Omega$
- 6, IDC terminal: phosphor bronze, 22-26AWG conductor
- 7, the plug and the socket is inserted with more than 1000 times

Product description

- 1.CAT 5e/6 rated connector provide excellent performance for data networks requiring maximum speed and bandwidth
- 2.PCB technology provides maximum performance and superior signal quality
3. Gold plated contacts and easy snap-in retaining clip ensure a secure and corrosion free connection * Using high quality poly-arbonate flame retardant materials, which reached the level



Wenzhou Safewire Electric Co.,Ltd.

2nd floor, Wealth Garden, Liushi Town, Yueqing city,Wenzhou,Zhejiang,China
Tel:0086-577-61725369; Email:info@safewirele.com;

www.safewirele.com

of UL94V-0 * Includes an integrated TIA-568A/B color wiring diagram

4.Backwards compatible to all lower rated category components

5. Compatible with all installer wall-plates, surface mount boxes, and blank patch panels

6.Applicable wire gauge: 22 to 26AWG

7. IDC (Insulation Displacement Connector) No need to strip the wire before connecting

Application

The product use in floor box or desktop socket or the wall .

RoHS Certificate of Compliance : Conforms with the Directive 2002/95/EC (ROHS)

regarding to limitation of dangerous substances,in particular to clause 4 which forbids the use of substances: